

L 22354-66 EUT(1)
ACC NR: AP6013269

SOURCE CODE: UR/0413/66/000/008/0060/0060

19
B

INVENTOR: Yermakov, V. V.

ORG: none

TITLE: Method of recording the movements of a skier. Class 30,
No. 180737

SOURCE: Izobreteniya, promyshlennyye obraztsy, tovarnyye znaki, no. 8,
1966, 60

TOPIC TAGS: radiotelemetry, biotelemetry

ABSTRACT: An Author Certificate has been issued for a method of recording the movements of a racing skier. This is accomplished by simultaneously recording the movements and taking motion pictures of the subject. To obtain objective data on the character and structure of the movements of a sportsman, the oscillograph of the radiotelemetric system selectively records movements synchronously with a motion picture camera. At a given moment, a synchronizing signal is transmitted by radio to the oscillograph monitor and to a screen monitor situated in the field of vision of the camera objective. This signal switches on electromagnetic devices. [CD]

SUB CODE: 06/ SUBM DATE: 22Feb65/ ATD PRESS: 4240

Card 1/16

UDC: 612-007 : 616-073.78

Z

LISENKO, A.Ia.; MYCHKO-MEGRIN, A.Yu.; BARKOV, V.N.; KASATSKIY, A.I.;
FEDOROVA, S.P.; YERMAKOV, V.V.

Medicogeographical studies of Brazil. Vop geog. no.68:137-203
(MIRA 18:12)
'65.

YERMAKOV, V.Ye.

Collaboration with institutes. Work of the Central Laboratory of
the Moscow Small Automobile Factory. Zav.lab. 28 no.11:1390 '62.
(MIRA 15:11)

1. Zamestitel' nachal'nika TSentral'noy zavodskoy laboratorii
Moskovskogo zavoda malolitrazhnykh avtomobiley.
(Moscow--Automobile industry) (Engineering laboratories)

YERMAKOV, V. Ye.

YERMAKOV, V. Ye. -- "Foundations of the Organization of Forestry in the Protective Belts of the Central Course of the Dnepr." Min Higher Education USSR. Belorussian Forestry Engineering Inst imeni S. M. Kirov. Minsk, 1955. (Dissertation for the Degree of Candidate in Agricultural Sciences)

SO: Knizhnaya Letopis', No 1, 1956

YERMAKOV, V.Ye., kand. sel'skokhozyaystvennykh nauk

Organising the management of protective forest belts. Sbor.
nauchn. trud. BIPI no.10:174-180 '57. (MIRA 11:12)
(Forests and forestry) (Erosion)

YERMAKOV V.Ye

COUNTRY : USSR

CATEGORY : Forestry, Forest Management.

ABS. JOURN. : RZhBiol., No. 14 1959, No. 63199

AUTHOR : Yermakov, V. Ye.

INST. : Belorussian Forest Engineering Institute

TITLE : On the Problem of Organising the Management in Forests
of Protective Belts

ORIG. PUB. : Nauk. nauchn. tr. Belorussk. lesotekhn. In-t., 1957, vyp.
1C, 174-180

ABSTRACT : "Abstract"

1. Abstract

2. Summary

3. Introduction

4. Materials and Methods

5. Results and Discussion

6. Conclusions

7. References

8. Acknowledgments

9. Abbreviations

10. Figures

11. Tables

12. Appendices

13. Notes

14. Bibliography

15. Index

16. Glossary

17. Abbreviations

18. Figures

19. Tables

20. Appendix

21. Notes

22. Bibliography

23. Glossary

24. Abbreviations

25. Figures

26. Tables

27. Appendix

28. Notes

29. Bibliography

30. Glossary

31. Abbreviations

32. Figures

33. Tables

34. Appendix

35. Notes

36. Bibliography

37. Glossary

38. Abbreviations

39. Figures

40. Tables

41. Appendix

42. Notes

43. Bibliography

44. Glossary

45. Abbreviations

46. Figures

47. Tables

48. Appendix

49. Notes

50. Bibliography

51. Glossary

52. Abbreviations

53. Figures

54. Tables

55. Appendix

56. Notes

57. Bibliography

58. Glossary

59. Abbreviations

60. Figures

61. Tables

62. Appendix

63. Notes

64. Bibliography

65. Glossary

66. Abbreviations

67. Figures

68. Tables

69. Appendix

70. Notes

71. Bibliography

72. Glossary

73. Abbreviations

74. Figures

75. Tables

76. Appendix

77. Notes

78. Bibliography

79. Glossary

80. Abbreviations

81. Figures

82. Tables

83. Appendix

84. Notes

85. Bibliography

86. Glossary

87. Abbreviations

88. Figures

89. Tables

90. Appendix

91. Notes

92. Bibliography

93. Glossary

94. Abbreviations

95. Figures

96. Tables

97. Appendix

98. Notes

99. Bibliography

100. Glossary

101. Abbreviations

102. Figures

103. Tables

104. Appendix

105. Notes

106. Bibliography

107. Glossary

108. Abbreviations

109. Figures

110. Tables

111. Appendix

112. Notes

113. Bibliography

114. Glossary

115. Abbreviations

116. Figures

117. Tables

118. Appendix

119. Notes

120. Bibliography

121. Glossary

122. Abbreviations

123. Figures

124. Tables

125. Appendix

126. Notes

127. Bibliography

128. Glossary

129. Abbreviations

130. Figures

131. Tables

132. Appendix

133. Notes

134. Bibliography

135. Glossary

136. Abbreviations

137. Figures

138. Tables

139. Appendix

140. Notes

141. Bibliography

142. Glossary

143. Abbreviations

144. Figures

145. Tables

146. Appendix

147. Notes

148. Bibliography

149. Glossary

150. Abbreviations

151. Figures

152. Tables

153. Appendix

154. Notes

155. Bibliography

156. Glossary

157. Abbreviations

158. Figures

159. Tables

160. Appendix

161. Notes

162. Bibliography

163. Glossary

164. Abbreviations

165. Figures

166. Tables

167. Appendix

168. Notes

169. Bibliography

170. Glossary

171. Abbreviations

172. Figures

173. Tables

174. Appendix

175. Notes

176. Bibliography

177. Glossary

178. Abbreviations

179. Figures

180. Tables

181. Appendix

182. Notes

183. Bibliography

184. Glossary

185. Abbreviations

186. Figures

187. Tables

188. Appendix

189. Notes

190. Bibliography

191. Glossary

192. Abbreviations

193. Figures

194. Tables

195. Appendix

196. Notes

197. Bibliography

198. Glossary

199. Abbreviations

200. Figures

201. Tables

202. Appendix

203. Notes

204. Bibliography

205. Glossary

206. Abbreviations

207. Figures

208. Tables

209. Appendix

210. Notes

211. Bibliography

212. Glossary

213. Abbreviations

214. Figures

215. Tables

216. Appendix

217. Notes

218. Bibliography

219. Glossary

220. Abbreviations

221. Figures

222. Tables

223. Appendix

224. Notes

225. Bibliography

226. Glossary

227. Abbreviations

228. Figures

229. Tables

230. Appendix

231. Notes

232. Bibliography

233. Glossary

234. Abbreviations

235. Figures

236. Tables

237. Appendix

238. Notes

239. Bibliography

240. Glossary

241. Abbreviations

242. Figures

243. Tables

244. Appendix

245. Notes

246. Bibliography

247. Glossary

248. Abbreviations

249. Figures

250. Tables

251. Appendix

252. Notes

253. Bibliography

254. Glossary

255. Abbreviations

256. Figures

257. Tables

258. Appendix

259. Notes

260. Bibliography

261. Glossary

262. Abbreviations

263. Figures

264. Tables

265. Appendix

266. Notes

267. Bibliography

268. Glossary

269. Abbreviations

270. Figures

271. Tables</

ZAKHAROV, V.K., prof.; TRULL', O.A., kand.sel'skokhos.nauk; MIROSHNIKOV,
V.S., kand.sel'skokhos.nauk; YERMAKOV, I.Ya., kand.sel'skokhos.
nauk; CHIRUVIK, I., red.; STEPANOVA, E., tekhn.red.

[Timber valuation manual] Lesotsakentsionnyi spravochnik. Pod
obshchei red. V.K.Zakharova. Minsk. Gos.iad-vo BSSR, 1959.
(MIRA 13:4)
300 p. (Forests and forestry--Valuation)

YERMAKOV, V.Ye.

Characteristics of the composition of naturally regenerated stands.
Sbor. bot. rab. Bel. otd. VBO no.2:189-192 '60. (MIRA 15:1)
(White Russia—Forests and forestry)

ZAKHAROV, Vasiliy Kirillovich, prof.; TRULL', Oleg Antonovich; MIROSHNIKOV, Vladimir Semenovich; YERMAKOV, Viktor Yevseyevich; CHERNYAK, I., red.; NOVIKOVA, V., tekhn. red.

[Forest valuation handbook] Lesotaksatsionnyi spravochnik. Pod obshchei red. V.K.Zakharova. Izd.2., ispr.i dop. Minsk, Gos. izd-vo BSSR. Red. nauchno-tekhn.lit-ry, 1962. 367 p.

(MIRA 15:6)

(Forests and forestry--Valuation).

YERMAKOV, V.Ye.

Growth and productivity of wood-sorrel and whortleberry spruce forests.
Bot.; issn. Bel. otd. VBO no.6:131-135 '64. (MIRA 18s7)

Yermakov, Ya. V.

VISHNYAKOV, A.P.: DOBROVOL'SKIY, D.S.: YERMAKOV, Ya.V.: TUKACHINSKIY, S. Ye.

Electrophoretic determination of protein fractions on paper. Doklady Akad. Nauk SSSR 87 no. 6:1035-1038 21 Dec 1952. (CLML 23:5)

1. Presented by Academician A. I. Oparin 23 October 1952. 2. Lenigrad Scientific-Research Institute of Blood Transfusion, Central Scientific-Research Paper Institute, and Central Scientific-Research Veterinary Laboratory.

S/035/62/000/012/052/064
A001/A101

AUTHORS: Trunin, Yu. M., Yermakov, Ye. G.

TITLE: A template-parallaxometer

PERIODICAL: Referativnyy zhurnal, Astronomiya i Geodeziya, no. 12, 1962, 19,
abstract 120131 ("Byul. nauchno-tekhn. inform. M-vo geol. i okhrany
nadr SSSR", 1961, no. 5 (33), 57 - 58)

TEXT: A template was constructed in an expedition of the All-Union Aero-
geological Trust; it is used to measure (without a stereoscope) a pair of points,
whose relative elevation is to be determined, from two adjacent aerial photo-
graphs of the base (b) of photographing and difference of forward parallaxes
(Δp). The instrument set includes a table of parallactic coefficients (H/b)
using which one can easily determine (from a corresponding altitude of photo-
graphing and measured base) elevation by the formula:

$$h = (H/b) \cdot \Delta p.$$

Card 1/2

A template-parallaxometer

S/035/62/000/012/0,2/064
A001/A101

The table of expected errors m_h , expressed in terms of photography altitude, is presented as a function of distance (r) on aerial photograph between the points being determined (from $1/700 \cdot H$ at $r = 10$ mm to $1/280 \cdot H$ at $r = 55$ mm). ✓

I. Mityachkin

[Abstracter's note: Complete translation]

Card 2/2

MOSHKOV, B.S.; YERMAKOV, Ye.I.; DEGTYAREV, P.A.

Effect of soil moisture on the diurnal rhythms of movement in *Perilla* *ocymoides*. Dokl. AN SSSR 153 no. 2:477-480 N '63. (MIRA 16:12)

1. Agrofizicheskiy nauchno-issledovatel'skiy institut, Leningrad.
Predstavлено академиком А.Л.Курсановым.

YERMAKOV, Ye.I., shefer.

Truck driving experience. Avt.dor.18 no.7:16-17 N '55. (MIRA 9:b)
(Automobile drivers)

DEMIN, N.A.; ~~YERMAKOV, Ye.I.~~

Experience in constructing and using Centri-Cleaners. Bun.prom.
33 no.10:19-20 0 '58. (MIRA 11:11)

1. Kendrovskiy tsellyulosno-bumashchyy kombinat.
(Woodpulp industry--Equipment and supplies)

BARANOV, L.A.; GORBATOV, V.I.; YINREINOV, D.V.; YERMAKOV, Ye. I.;
PITERSKOV, N.I.; RYL'TSEV, A.M.; RYAZANTS'EV, I.O.; TCHOPOV, A.S.;
TSYETLINE, G.I.; YAROSHEV, D.M.; TRUBIN, V.A., glavnyy red.;
SOSHIN, A.V., zam.glavnogo red.; RAKITIN, G.A., red.; GRINEVICH,
G.B., red.; YEPIFANOV, S.P., red.; ONUFRIYEV, I.A., red.; KHOKHLOV,
B.A., red.; ZIMIN, P.A., red.; TABUNINA, M.A., red.izd-va;
OSENKO, L.M., tekhn.red.

[Manual on accident prevention and industrial sanitation during
construction and repair operations] Spravochnoe posobie po tekhnike
bezopasnosti i promsanitarii pri proizvodstve stroitel'no-montazh-
nykh rabot. Pod red. G.A.Rikitina. Moskva, Gos.izd-vo lit-ry po
stroit., arkhit. i stroit.materiale, 1961. 359 p.

(MIRA 14:4)

l. Akademiya stroitel'stva i arkhitektury SSSR. Institut organi-
zatsii, mekhanizatsii i tekhnicheskoy pomoshchi stroitel'stva.
(Construction industry--Hygienic aspects)

YERMAKOV, Ye.I.; SHAMSIYEV, A.

Growing plants on porous ceramics in research work.
Trudy Otd. fiziol. i biofiz. rast. AN Tadzh. SSR 3:
124-135 '64.

(MIRA 18:4)

YERMAKOV, Ye.S.

Some data on the use of oxyhemometry for the comparative evaluation of the effectiveness of oxygen and aerotherapy in the children's clinic. Pediatrilia 41 no.9:50-54 S '62.
(MIRA 15:12)

1. Iz akademicheskoy gruppy deystvitel'nogo chlena AMN SSSR prof. Yu.F.Dombrovskoy i kafedry detskih bolezney (zav. - prof. Yu.F.Dombrovskaya) I Moskovskogo ordena Lenina meditsinskogo instituta imeni I.M.Sechenova (dir. - chlen-korrespondent AMN SSSR prof. V.V.Kovanov).
(BLOOD—OXYGEN CONTENT)(AEROTHERAPY)(OXYGEN THERAPY)

YERMAKOV, Ye.S.

Tillage in green fallows. Zemledelie 26 no.8:32-33 Ag '64.
(MIRA 17:11)

1. Nauchno-issledovatel'skiy institut sel'skogo khozyaystva
tsentral'nykh rayonov necherhozemnoy zony.

YERMAKOV, Ye.S.

Changes in some functions of the external respiration during chronic pneumonia in children. Sov. med. 28 no. 9:32-34, S '65.
(MIRA 18:9)

1. Akademicheskaya gruppa deystvitel'nogo chlena AMN SSSR prof.
Yu.F.Dombrovskoy i kafedra detskikh bolezney (zav. Yu.F.Dombrovskaya)
I Moskovskogo ordena Lenina meditsinskogo instituta imeni Sechenova.

127. Therapy of Intoxication Caused by Ethylated Gasoline

"Clinical Evaluation of Some Methods of Treating Chronic Intoxication by Ethylated Gasoline [Leaded Gasoline]," by Capt Ye. V. Yermakov of the Medical Service, Voyenno-Meditsinskiy Zhurnal, No 3, MAR 57, pp 46-48

Clinical tests conducted by N. V. Lazarev, I. G. Ravkin, A. A. Glebovich, and others established that prolonged sleep induced by barbiturates combined with the administration of magnesium sulfate and vitamin B₁ are an effective method of therapy for intoxication caused by ethylated gasoline, magnesium sulfate being the more effective therapeutic agent. Previous experiments at the Military Medical Academy imeni S. M. Kirov and the First Leningrad Medical Institute conducted by A. N. Kuznetsov and V. V. Zakusov, in which sodium hyposulfite and glucose were administered to treat such an intoxication, produced negative results. Failure to develop a specific therapy for tetraethyl lead intoxication was partly due to the fact that little was known of the intoxication process which took place in the organism. "It is now known," the author writes, "that ethylated gasoline intoxication induces a pathological process in the organism, which, once initiated, continues to develop independently of the poison." (U)

YERMAKOV, Ye.V.

Clinical aspects and treatment of poisoning with some hallucinogens.
(MIRA 15:2)
Voen.-med. zhur. no.8:89-91 Ag '61.
(HALLUCINOGENIC DRUGS—TOXICOLOGY)

YERMAKOV, Yevgraf Viktorovich; KLIMOV, S.P., red.; LEBEDEVA, G.T.,
tekhn. red.

[Chronic poisoning with tetraethyllead] Khronicheskoe trav-
lenie tetaetilsvintsom. Leningrad, Medgiz, 1963. 98 p.
(MIRA 16:4)

(LEAD POISONING)

BOGDANOV, N.A.; YEMAKOV, Ye.V.; IMANUILOV, R.G.; LIKHUSHIN, V.I.;
SHELYAPIN, N.N.; STESHENKO, V.F., red.

[Pathology, clinical aspects, and treatment in lesions
from toxic chemical agents and radioactive substances]
Patologija, klinika i terapija pri porazhenijakh OV i RV.
Leningrad, Meditsina, 1964. 188 p. (MIKA 1812)

PILLE, E.R.; VERMAKOVA, Ye.Ya.; ZUYEVA, Yu.N.; NADAYCHIK, L.V.

Study of viruses isolated from monkeys. Vop. virus. 6 no.6:704-710
(MIRA 15:2)
M-D '61.

1. Moskovskiy nauchno-issledovatel'skiy institut virusnykh preparatov.
(VIRUSES) (MONKEYS)

S/122/62/000/011/001/001
D262/D308

AUTHOR: Yermakov, Yu.A., Engineer

TITLE: The threading of parts made of pre-hardened steels

PERIODICAL: Vestnik mashinostroyeniya, no. 11, 1962, 57-60

TEXT: A detailed description is given of experiments conducted to establish the geometrical parameters of the working parts of the cutters and optimal speeds of cutting and feeding for threading of hardened steels of 35 - 64 HRC. Threading tools used in the experiments were fitted with cutting blades made of various hard alloys (tungsten carbide). Conclusions: 1) The wear changes during the cutting process; there are 3 periods: 1st - intensive wear of the rear face (to 0.1 - 0.15 mm), 2nd - less intensive and almost constant rate of wear, 3rd - very intense rate of wear. 2) The degree of finish of the thread sides depends little on the cutter wear and operating conditions. 3) The lowest wear is obtained for front angle $\gamma = -10^\circ$ for hardness of 64 HRC⁵ and $\gamma = -5^\circ$ for hardnesses of 45 and 57 HRC, and for clearance angle $\alpha = 6^\circ$ for all

Card 1/2

The threading of parts ...

S/122/62/000/011/001/001
D262/D308

hardnesses. 4) With increasing hardness of the worked metal the permissible feed decreases. 5) The effect of the cutting speed on the cutter wear is more pronounced for harder steels (57 - 64 HRC) than for less hard steels (35 - 45 HRC). There are 2 figures and 4 tables.

Card 2/2

YERMAKOV, Yu.G. [IErmakov, IU.H.]

Angular unconformity between the Middle and Upper Sarmatian in
Privol'noye, Bashtanka District. Geol. zhur. 24 no.4:109-110 '64.
(MIRA 18:2)

1. Dnepropetrovskaya kompleksnaya geologorazvedochnaya
ekspeditsiya.

YERMAKOV, Yu.G. [IErmakov, IU.H.]

Erosive-tectonic scarp in the northern part of the Black Sea
region. Geol. zhur. 25 no.2:103-104 '65. (MIRA 18:6)

1. Dnepropetrovskaya kompleksnaya geologorazvedochnaya ekspeditsiya.

YERMAKOV, Yu.G.

Aptian and Albian troughs in the Sivash and Karkinit region
in the southern margin of the Russian Platform. Dokl. AN SSSR
165 no.3:640-642 N '65. (MIRA 18:11)

1. Dnepropetrovskaya kompleksnaya geologorazvedochnaya
ekspeditsiya tresta "Dneprogeologiya". Submitted June 4, 1965.

20-118-6-5/43

AUTHOR: Yermakov, Yu.I.

TITLE: Three-Dimensional Space With a Cubic Semimetric (Trekhmernoye prostranstvo s kubicheskoy polumetrikoy)

PERIODICAL: Doklady Akademii Nauk, 1958, Vol 118, Nr 6, pp 1070-1073 (USSR)

ABSTRACT: The author considers three-dimensional Finsler spaces $F_3^{(3)}$ with the metric

$$ds^2 = e_{\alpha\beta\gamma} dx^\alpha dx^\beta dx^\gamma \quad (\alpha, \beta, \gamma, \dots, \omega = 1, 2, 3)$$

and a non-vanishing determinant. He constructs a connection in the $F_3^{(3)}$ being invariant with respect to a conformal transformation of the metric; necessary and sufficient conditions that $F_3^{(3)}$ is conformally plane are given. Further some properties of a space X_3 with a given field of the pseudotensor are investigated. A result due to Tonooka [Ref 2] is formulated somewhat more exact.

There are 4 references, 2 of which are Soviet, 1 American, 1 Dutch.

Card 1/2

~~Three-dimensional~~ Space With a Cubic Semimetric

20-118-6-5/43

ASSOCIATION: Saratovskiy gosudarstvennyy universitet imeni N.G.Chernyshevskogo
(Saratov State University imeni N.G.Chernyshevskiy)

PRESENTED: September 13, 1957, by I.G.Petrovskiy, Academician

SUBMITTED: December 28, 1956

~~Signature~~

Card 2/2

5(3)

SOV/62-59-7-34/38

AUTHORS: Kagan, Yu. B., Bashkirov, A. E., Kliger, G. A., Fernakov,
Yu. I.

TITLE: Transformation of n-Butyl Amine Under Synthesis Conditions
From Carbon Oxide and Hydrogen (Prevrashcheniye n.butilamina
v usloviyakh sinteza iz okisi ugleroda i vodoroda)

PERIODICAL: Izvestiya Akademii nauk SSSR. Otdeleniye khimicheskikh nauk,
1959, Nr 7, pp 1345 - 1346 (USSR)

ABSTRACT: It had been found in previous investigations that when syn-
thesizing n-butyl amine from CO, H₂ and NH₃ in the presence
of iron catalysts, di- and trialkyls are formed in addition
to monoalkyl amines. Moreover, the formation of the di- and
trialkyls was found to be dependent in the course of reaction
by the facilitated reacting possibility of primary amines with
oxygen-containing products from the hydrogenation of the
carbon oxide (alcohols, aldehydes, etc). The conclusion was
drawn therefrom that the secondary and tertiary amines may be
obtained from CO, H₂, and the primary amine, here n-butyl
amine. This conclusion is submitted to examination in the

Card 1/3

Transformation of n-Butyl Amine Under Synthesis
Conditions From Carbon Oxide and Hydrogen

SOV/62-59-7-34/38

present paper. The synthesis conditions were the same as in references 1 and 2. A molten iron catalyst was also used in the investigation. The amines obtained were potentiometrically titrated. The following was investigated in the course of synthesis: the influence exerted by the amine addition rate upon the catalyst, by temperature, pressure, and the ratio CO/H in the initial mixture on the yield and the products of the synthesis. The data obtained are specified in the table. It may be observed from the latter that secondary and tertiary amines may be actually obtained in the manner described, and that, by changing the conditions, the reaction may be directed to the production of either secondary or tertiary amines. Increase in the concentration of n-butyl amine and temperature leads to the predominant formation of secondary amine, dilution of hydrogen, low temperature, and slow addition of n-butyl amine on the catalyst for the formation of tertiary amine. Rising pressure increases the formation of the two amines. At 80-150° the largest percentage yield of secondary and tertiary amines is obtained (45%). The additionally obtained primary amine (50%) is caused by disproportionation. There are 1

Card 2/3

Transformation of n-Butyl Amine Under Synthesis
Conditions From Carbon Oxide and Hydrogen

SCV/62-59-7-34/3C

table and 10 references, 7 of which are Soviet.

ASSOCIATION: Institut nefti Akademii nauk SSSR (Institute of Petroleum
of the Academy of Sciences, USSR)

SUBMITTED: January 19, 1959

Card 3/3

SOV/20-128-3-7/32

16(1)

AUTHOR: Yermakov, Yu.I.

TITLE: \mathbb{X}_n Spaces With an Algebraic Metric and Semimetric

PERIODICAL: Doklady Akademii nauk SSSR, 1959, Vol 128, Nr 3, pp 460-463 (USSR)

ABSTRACT: In n-dimensional Finsler spaces $F_n^{(q)}$ the author defines it:

the case $n \geq 2, q \geq 3$ a symmetric linear affine connection in
a way deviating from Cramlet /Ref 77 (simpler). He deter-
mines complete systems of differential and conformal differ-
ential commutants. The author gives necessary and sufficient
conditions that $F_n^{(q)}$ be plane or conformally plane. All to-
gether there are five theorems without proof. The author
mentions A.Ye.Liber. There are 7 references, 4 of which are
Soviet, 1 German, 1 American, and 1 Japanese.

ASSOCIATION: Saratovskiy gosudarstvennyy universitet imeni N.G.Cherny-
shevskogo (Saratov State University imeni N.G.Chernyshevskiy)

PRESENTED: May 25, 1959, by I.G.Petrovskiy, Academician

SUBMITTED: May 22, 1959

Card 1/1

YERMAKOV, Yu. I., CAND PHYS MATH SCI, "GEOMETRY OF SPACES X_S- WITH ALGEBRAIC METRIC OR SEMIMETRIC." SARATOV, 1960. (MIN OF HIGHER AND SEC SPEC ED RSFSR. KAZAN' ORDER OF LABOR RED BANNER STATE UNIV IM V. I. UL'YANOV-LENIN). (KL, 2-61, 198).

-10-

s/020/62/143/005/014/018
B101/B110

AUTHORS: Yermakov, Yu. I., Boreskov, G. K., Corresponding Member
AS USSR, Dzis'ko, V. A., and Ivanova, L. I.

TITLE: Low-temperature polymerization of ethylene on chromium oxide catalyst

PERIODICAL: Akademiya nauk SSSR. Doklady, v. 143, no. 5, 1962,
1139-1141

TEXT: The polymerization of ethylene at 75°C, i.e., below the m.p. of the polymer, on a chromium oxide catalyst, whose preparation has been described earlier (DAN, 136, no. 1, 125 (1961)), is discussed. The experiments were made with high-purity C₂H₄ (1-2 ppm O₂, 3 ppm H₂O) in purified n-heptane at constant pressure (5-15 atm). The following results were obtained (Fig. 1): (1) an induction period was observed (30-150 min), which was shorter at higher pressure and higher concentration of the catalyst; (2) after the induction period the reaction rate remained constant for a long time (at low catalyst concentration up to

Card 1/3

S/020/62/143/005/014/018
B101/B110

Low-temperature polymerization ...

20 hrs); (3) the polymer consisted of 0.2 to 3 mm large granules; (4) the initial grains of the catalyst had a size of 0.5 to 1 mm. Catalyst particles of $1-10 \mu$ were found on the surface (not in the bulk) of the polymer grains; (5) a threshold concentration of the catalyst exists below which there is no polymerization. Hence no polymerization occurred with 0.0274% catalyst in the solvent, and a slight polymerization with 0.0325%; (6) the activity, A, of the catalyst, depends on the pressure, P; $A = aP^n$ ($a, n = \text{constants}$). At $< 9 \text{ atm}$, $n \sim 2$, at $11-15 \text{ atm}$, $n \sim 3$; (7) the molecular weight, MW, is independent of the catalyst concentration, but depends on P; at 9 atm, the MW was 110,000-125,000, at 15 atm, the MW was 400,000-600,000; (8) a maximum yield (1800 g polyethylene per g catalyst) was obtained at 15 atm and 0.0520% catalyst concentration. There are 4 figures and 1 table.

ASSOCIATION: Fiziko-khimicheskiy institut im. L. Ya. Karpova
(Physicochemical Institute imeni L. Ya. Karpov)

SUBMITTED: January 11, 1962

Card 2/3

S/020/62/143/005/014/018
B101/B110

Low-temperature polymerization ...




Fig. 1: kinetic curve of C_2H_4 polymerization at 9 atm, 75°C , catalyst concentration 0.336%. Legend: abscissa time, min; ordinate g C_2H_4 /g catalyst·hr.

Card 3/3

YERMAKOV, YU.I.; BORESKOV, G.K.; DZIS'KO, V.A.; IVANOVA, L.I.; TRIFONOV,
A.S.

Polymerization of ethylene on a chromia catalyst without a solvent. Khim.prom. no.7:496-498 Jl '63. (MIRA 16:9)

L 8493-66 ENT(m)/EXP(j)/T RM

ACC NR: AP5026476

SOURCE CODE: UR/0195/65/006/005/0889/0896

AUTHOR: Yermakov, Yu. I.; Ivanov, L. P.

ORG: Physicochemical Institute im. L. Ya. Karpov (Fiziko-khimicheskiy institut);
Institute of Catalysis, SO AN SSSR (Institut kataliza SO AN SSSR)

TITLE: Study of the polymerization kinetics of ethylene on a chromium trioxide catalyst
under conditions of formation of a crystalline polymer

SOURCE: Kinetika i kataliz, v. 6, no. 5, 1965, 889-896

TOPIC TAGS: chromium oxide, polymerization kinetics, ethylene

ABSTRACT: The study deals with the polymerization kinetics of ethylene on a chromium trioxide catalyst in cyclohexane at temperatures below 90°C, i.e., in a suspension. The dependence of the polymerization rate on time is characterized by a distinct induction period in the course of which the polymerization rate changes from zero to a stationary

"APPROVED FOR RELEASE: 03/14/2001 CIA-RDP86-00513R001962810008-6

and varies as almost as square as 28000

Card 1/2

UDC 541.124:642.962.6:647.313.2

APPROVED FOR RELEASE: 03/14/2001 CIA-RDP86-00513R001962810008-6"

"APPROVED FOR RELEASE: 03/14/2001 CIA-RDP86-00513R001962810008-6

The mathematical calculations were made
with the aid of computers on the basis of the experimental data.
Orig. art. has: 5 figures and 4 formulas.

SUB CODE: 07 / SUB DATE: 18Jul64 / ORIG REF: 018 / OTH REF: 004

BVK
Card 2/2

APPROVED FOR RELEASE: 03/14/2001 CIA-RDP86-00513R001962810008-6"

L 8495-66 EWT(m)/EWP(j)/T/EWP(t)/EIP(b) IJP(c) JI/RM

ACC NR: AP5026478

SOURCE CODE: UR/0195/65/006/005/0909/0915

AUTHOR: Yermakov, Yu. I.; Boreskov, G. K.; Slin'ko, M. G.; Skomorokhov, V. B.

ORG: Institute of Catalysis, SO AN BSSR (Institut kataliza SO AN BSSR)

TITLE: Kinetics and mathematical modelling of the process of suspension polymerization of ethylene on a chromium trioxide catalyst

SOURCE: Kinetika i kataliz, v. 6, no. 5, 1965, 909-915

TOPIC TAGS: polymerization rate, ethylene, mathematic model, chromium oxide

ABSTRACT: The kinetic relationships obtained by studying the suspension polymerization of ethylene on a chromium trioxide catalyst are considered mathematically. The process was simulated on an MN-14 analog computer. The experimental curves of the polymerization rate versus catalyst concentration and ethylene pressure are compared with the curves obtained by the computer, and it is shown that the mathematical description correctly expresses the relationships found experimentally. The proposed mathematical

"APPROVED FOR RELEASE: 03/14/2001 CIA-RDP86-00513R001962810008-6

industrial application of the process of suspension polymerization.
4 figures and 14 formulas.

UDC 541.124:542.952.6:547.313.2

Card 1/2

APPROVED FOR RELEASE: 03/14/2001 CIA-RDP86-00513R001962810008-6"

YERMAKOV, Yu.I.

Invariant equipment of certain surfaces of a special type in projective space. Dokl. AN SSSR 162 no.6; 1234-1237 Je '65. (MIRA 18:7)

1. Saratovskiy gosudarstvennyy universitet im. N.G.Chernyshevskogo.
Submitted December 10, 1964.

KOVALEVSKIY, I.I., kand. tekhn. nauk; YERMAKOV, Yu.M., ; MERINOV, N.A.;
FROLOVA, V.A.; CHIZHIKOVA, L.I.; NEMENYAGI, D.K., red.; izd-va;
SHIBISTSEVA, N.V., tekhn. red.

[Album of heating furnaces and stoves] Al'bom otopitel'nykh i by-tovykh pechей. Moscow, Gosstroizdat. Pt.2, [Stoves for heating and cooking] Pechi otopitel'no-varochnye. 1962. 88 p. (MIRA 16:1)

1. Akademiya stroitel'stva i arkhitektury SSSR. Institut po stroitel'stvu, Rostov-on-Don. 2. Rukovoditel' laboratori otopleniya i ventilyatsii Nauchno-issledovatel'skogo instituta po stroitel'stvu, Rostov-on-Don (for Kovalevskiy). 3. Nauchno-issledovatel'skiy institut sanitarnoy tekhniki Akademii stroitel'stva i arkhitektury SSSR (for Yermakov, Merinov, Frolova, Chishikova). (Stoves) (Furnaces, Heating)

... 0156-07 W.T(d)/EWP(v)/EWP(k)/EWP(h)/EWP(l)
ACC NR: AP6029952

(A, N)

SOURCE CODE: Ul/0413/66/000/015/0129/0130
36

INVENTORS: Zagorodnikov, A. Ya.; Chernyanskiy, P. M.; Yormakov, Yu. M.; Zamchalov, Yu. P.; Shauzyan, G. A.

ORG: none

TITLE: A method for taking a finish cut in producing bodies of revolution. Class 49; No. 184580 [announced by Moscow Higher Technical School of the Order of Lenin and the Order of the Workers' Red Banner imeni N. E. Bauman (Moskovskoye ordena Lenina i ordena Trudovogo Krasnogo Znameni vysheye tekhnicheskoye uchilishche)]

SOURCE: Izobret prom obraz tov zn, no. 15, 1966, 129-130

TOPIC TAGS: metalworking, metalworking machine accessory, machine tool, metal cutting machine tool, body of revolution

ABSTRACT: This Author Certificate presents a method for taking a finish cut in producing bodies of revolution being simultaneously turned (see Fig. 1). To increase the efficiency and to improve the quality of surface, the finish cut is taken with a tool bit fed in the radial and the tangential directions in respect to the product. The tool bit is provided with two cutting blades, one of which is held at an angle to the axis of the product and is fed gradually into the contact with the product at the removal zone of the outer layer. The other blade is held parallel to the axis

UDC: 621.941.1:08

Card 1/2

L 09256-67

ACC NR: AP6029952




Fig. 1. 1 - tool bit; 2 - first cutting blade; 3 - product; 4 - zone of outer layer removal; 5 - second cutting blade

0

of the product and is ground to fit that region of the body of revolution which is being cut by this blade. It is this second blade which produces the finish cut on the product. Orig. art. has: 1 figure.

SUB CODE: 13/ SUBM DATE: 17Oct64

YERMAKOV, Yu. Ye.
YERMAKOV, Yu.Ye., inzhener.

Continuous valveless system for central heating. Gor.khoz.Rosk.
25 no.6:27-29 Je '51. (MLRA 10:9)
(Heating from central stations)

YERMAKOV, Yu. Ye.

Heating from Central Stations

Organizing a central heating system for a large apartment house block. Gor.khoz.
Mosk. 26 no. 2, 1952.

9. Monthly List of Russian Accessions, Library of Congress, April 1953, 2Uncl.

YERMAKOV, Yu. Ye.

Moscow - Hotels, Taverns, etc.

Sanitary and service equipment of the Hotel "Sovetskaya." Gor. khog. Mosk. 26 No.4, 1952

Monthly List of Russian Acquisitions, Library of Congress, July 1952. Unclassified.

YERMAKOV, Yu.Ye.

Ventilation of apartments in standard-plan apartment houses. Vod.i
san. tekhn. no.12:19-23 D '56. (MLRA 10:3)
(Ventilation) (Apartment houses--Heating and ventilation)

YERMAKOV, Yu.Ye.

New design of multiloop safety devices for low-pressure steam
boilers. Vod. i san. tekhn. no. 6:10-13 Je '58. (MIRA 11:5)
(Boilers)

ACCESSION NR: AP4032508

S/0080/64/037/004/0922/0925

AUTHORS: Yermakova, A.; Morozov, N. G.

TITLE: Absorption method of separating methylchlorosilane and collecting the unreacted methyl chloride in the direct synthesis process

SOURCE: Zhurnal prikladnoy khimii, v. 37, no. 4, 1964, 922-925

TOPIC TAGS: methylchlorosilane, direct synthesis, methyl chloride absorption, chlorobenzene absorbent, alkylchlorosilane synthesis, liquid gas phase equilibrium, nitrogen methylchloride chlorobenzene system nitrogen ethylchloride chlorobenzene system, nitrogen methyl-dichlorosilane chlorobenzene system, nitrogen dimethyldichlorosilane chlorobenzene system. Raoult's law, heat of solution

ABSTRACT: The solubility of methyl chloride, ethyl chloride and methylchlorosilane in chlorobenzene was determined in order to provide data for the direct synthesis process for alkylchlorosilanes in which the unreacted alkyl chlorides are collected in chlorobenzene. The liquid-gas phase equilibria of the following systems were in-

Card 1/2

ACCESSION NR: AP4032508

vestigated at atmospheric pressure: nitrogen-methylchloride-chlorobenzene (at 0, 5, 10, 20 and 30C), nitrogen-ethyl chloride-chlorobenzene (at 10, 20 and 30C), nitrogen-methyldichlorosilane-chlorobenzene (at 20, 30C), and nitrogen-dimethyldichlorosilane-chlorobenzene (at 10, 20C). The solubility of methyl chloride and ethyl chloride in chlorobenzene is subject to Raoult's law. The solubility of the investigated chlorosilanes in chlorobenzene is significantly lower than in ideal solvents. The solubility in all the systems investigated decreased with increase in temperature. The heat of solution (kcal/kg) was calculated: methyl chloride 120; ethyl chloride 98.1; methyldichlorosilane 95.6; dimethyldichlorosilane 72. Thus the absorption of all these compounds in chlorobenzene is accompanied by evolution of large amounts of heat. Orig. art. has: 3 tables, 5 equations and 4 figures.

ASSOCIATION: None

SUBMITTED: 08Jun62

ENCL: 00

SUB CODE: OC
Card 2/2

NR REF Sov: 006

OTHER: 001

L'VOV, S.V.; SERAFIMOV, L.A.; YERMAKOVA, A.

Method of investigating phase relations in the process of absorption
of a multicomponent mixture. Khim. prom. no.5:364-367 My '64.
(MTRA 17:9)

L 1703-66 EWT(m)/EPF(c) RM

ACCESSION NR: AP5020957

UR/0204/65/006/004/0583/0588

AUTHOR: Mashkina, A. V.; Yermakova, A.; Savostin, Yu. A.

TITLE: Process for production of sulfolane (hydrogenation of sulfolene)

SOURCE: Neftekhimiya, v. 5, no. 4, 1965, 583-588

TOPIC TAGS: hydrogenation, organic sulfur compound, hydrogen, catalysis, nickel compound, chromium compound

ABSTRACT: Experiments on the hydrogenation of sulfolene to sulfolane were carried out in a flow unit at 35C over a catalyst with a grain size from 1.5 to 2.5 mm, at a hydrogen feed rate of 8 liters/hour, and at different pressures and concentrations of the sulfolene in the sulfolane. It was found that at a pressure of 1 atm and at low concentrations of sulfolene (up to approximately 10 wt %) the reaction rate is described by an equation of the first order. With further increase in the concentration, the reaction rate at 1 atm pressure is described by an equation of zero order. At 6 atm, at all concentrations studied, the reaction rate is first order. The average value of the reaction rate constant is 1.5 kg/kg-hr. At Card 1/2

L 3703-66

ACCESSION NR: AP5020957

sulfolene concentrations in the solution greater than 10 wt % and at pressures less than 6 atm, the reaction rate is determined by the rate of hydrogen feed to the outer surface of the catalyst. At pressures greater than 10 atm, the pressure had no effect on the reaction rate and the latter was a linear function of the amount of catalyst. It was concluded that the following parameters are suitable for an industrial unit: pressure 5-20 atm; temperature 35°C; solvent, sulfolane; concentration of sulfolene in the starting solution 10 wt %; catalyst, nickel ²⁷⁵, chromium, particle size of catalyst 4 x 5 mm. Orig. art. has: 7 formulas ²⁷⁵ and 6 figures

ASSOCIATION: Institut kataliza, Sibirske otdelenie AN SSSR (Catalysis Institute, Siberian Branch AN SSSR)

SUBMITTED: 05Nov64

ENCL: 00

SUB CODE: GC

NR REF SOV: 005

OTHER: 000

M. Ch.
Card 2/2

YERMAKOVA, A.; KVASHA, V.B.; SERAFIMOV, L.A.; L'IVOV, S.V.

Investigating the dynamics of the absorption of alkyl chlorides
and alkylchlorosilanes. Khim.prom. 41 no.4:18-22 Ap '65.
(MIRA 16:8)

YERMAKOVA - A - A

USSR/Cultivated Plants - Potatoes, Vegetables, Melons.

M.

Abs Jour : Ref Zhur - Biol., No 10, 1958, 44109

Author : Grubinskiy, S.O., Yermakova, A.A., Rubanyuk, E.I., Bogdanovich, I.S.

Inst : L'vov University.

Title : The Effect of Fertilizers with Microelement Dressing on the Crop of Early Hothouse Vegetables and Their Vitamin C Content.

Orig Pub : Dopovid ta povidomlenya. L'viv's'k. un-t, 1957, vyp. 7, ch. 3, 133-138.

Abstract : No abstract.

Card 1/1

GHEBINSKIY, S.O.; YERMAKOVA, A.A.; POPOVICH, I.V.; KURANYUK, Ye.A.

Effect of fertilizers on the amount of vitamins B₁, B₂, B₆, and
ascorbic acid in leafy vegetables. Nauch. dokl. vys. shkoly; biol.
nauki no.2:130-133 '58. (MIRA 11:10)

1. Predstavlena kafedroy fizioligii rasteniy Lvovskogo gosudarstven-
nogo universiteta imeni Ivana Franko.
(Vegetables) (Vitamins) (Fertilizers and manures)

PIK, I.Sh.; YERMAKOVA, A.I.

Relation of the mechanical characteristics of molding materials to
tablet form. Khim.prom. no.8:484-485 D '55. (MLRA 9:5)

1. Karacharovskiy zavod plastmass.
(Plastics--Testing)

YERMAKOVA, A.I.

Category: USSR/Analytical Chemistry - Analysis of organic substances.

G-3

Abs Jour: Referat Zhur-Khimiya, No 9, 1957, 31092

Author : Tikhomirova G. P., Shkodin A.M., Yermakova, A. I.
Inst : not given
Title : Polarographic Determination of Riboflavin.

Orig Pub: Ukr. khim. zh., 1956, 22, No 5, 687-690

Abstract: A method has been worked out for the polarographic determination of riboflavin (vitamin B₂) in mono- and polyvitamin preparations. 0.25 g of comminuted average sample of monovitamin (or 4 g of the polyvitamin-) preparation are dissolved in 25 ml of background electrolyte (Kohlthoff buffer solution of pH 8.6) and subjected to polarographic determination with galvanometer sensitivity of S = 1/50 and rheochord potential of 1 v. Also polarographed are 9 ml of the solution under study in admixture with 1 ml of standard solution (of pure crystalline vitamin B₂); calculation of the vitamin B₂ content of the sample is effected by the method of addition.

Card : 1/1

-15-

YERMAKOVA, T. I.

SHKODIN, A.M.; TIKHOMIROVA, G.P.; YERMAKOVA, A.I.

Potentiometric method for the determination of sulfuric acid in
malic and fumaric acids. Khleb. i kond. prom. l no.9:16-18 g '57.
(MIRA 10:11)

1. Ukrainskiy nauchno-issledovatel'skiy institut pishchevoy pro-
myshlennosti.

(Sulfuric acid--Analysis) (Malic acid--Analysis)
(Fumaric acid--Analysis)

TIKHOMIROVA, G.P.; YERMAKOVA, A.I.

Polarographic method for the determination of nicotinic acid in
a monovitamin dragee. Vop.pit. 19 no.1:61-63 Ja-F '60.

(MIRA 13:5)

1. Iz laboratori fizicheskoy khimii (sav. - kand.khim.nauk
A.M. Shkodin) Ukrainskogo nauchno-issledovatel'skogo instituta
pishchevoy promyshlennosti, Khar'kov.
(NICOTINIC ACID chemistry)

YERMAKOVA, I. A.; MIKHEYEV, G. D.

Nutritive value of basic grazing crops of the Turkmen S.S.R.
Izv. AN Turk.SSSR. Ser. biol.nauk no. 6:3-14 '63. (MIRA 17:5)

1. Turkmenskiy nauchno-issledovatel'skiy institut zhivotnovodstva
i veterinarii.

BOROVSKIY, G.F. [deceased]; ZINOV'YEV, G.A. [deceased]; YERMAKOVA, I.A.;
NECHAYEVA, N.T.

Nutritive value of wormwood pastures in northwestern Turkmenistan.
Trudy Inst. bot. AN Turk. SSR 7:40-60 '62. (MIRA 17:3)

YERMAKOVA, A.M.

Effect of the shape of the ballistic pulse of the current on
measurement precision of magnetic properties in ferromagnetic
materials; Trudy VNIIM no.10:71-88 '52. (MIRA 11:6)
(Ferromagnetism--Measurements)

YERMAKOVA, Anna Mikhaylovna; DEMINA, Mariya Leonidovna; BLINDER, Ye.N.,
tekhnicheskij redaktor; SUKHOULOV, S.T., tekhnicheskij redaktor

[Planning labor and wages in cooperative trade artels] Planirovanie
truda i zarabotnoi platy v arteliakh promyslovoi kooperatsii. Mo-
stva, Vses. koop. izd-vo, 1956. 90 p. (MIRA 10:4)
(Wages) (Industrial management)

1. YERMAKOVA, A. [P.]

2. USSR (600)

4. Potatoes

7. High yield of potatoes, Kolkh. proizv. 13, No. 2, 1953.

9. Monthly List of Russian Accessions, Library of Congress, May 1953, Unclassified.

"APPROVED FOR RELEASE: 03/14/2001

CIA-RDP86-00513R001962810008-6

YERMIKOVA, A.P.

Kak my vyrašchivaem vysokie urozhai kartofelia (How we obtain high potato yields).
Moskva, Selkhozgiz, 1954. 16 p.

SO: Monthly List of Russian Accessions, Vol 7, No 9, Dec 1954

APPROVED FOR RELEASE: 03/14/2001

CIA-RDP86-00513R001962810008-6"

~~YERMAKOVA, Agaf'ya Petrovna, geroy Sotsialisticheskogo Truda; POLYAKOVA, V., redaktor; YAKOVLEVA, Ye., tekhnicheskiy redaktor~~

[How we attained skill; experience of potato growers on the "Borodino" Collective Farm] Kak my doobili masterstva; opyt zvena kartofelevodov kolkhoza "Borodino." [Moskva] Moskovskii rabochii, 1956. 38 p.
(Potatoes) (MLRA 9:12)

PASHAYEV, A.G.; YERMAKOVA, A.S.

Safety problems in the construction and use of gas compressor stations of oil and gas refineries. Trudy VNIITB no.11:78-85 '59. (MIRA 15:5)

(Compressors-Safety measures)

KABANOV, V.I., inzh.; YERMANOVA, A.S., inzh.; BAYTUGANTI, Ye.G., inzh.;
BERTUL'SON, Ye.A., inzh.

Attachments to pumping jacks. Besop. truda v prom. 4 no. 4:24-25 Ap.
'60. (MIRA 13:9)
(Oil wells—Equipment and supplies)

SHILKO, N.A., dotsent; YERMAKOVA, A.V., ordinatore

Comparative evaluation of injuries in children and mother from
the application of forceps by the Tsvor'ianov method and by the
usual method. Akush.i gin. no.6816-19 '60. (MIRA 14:1)

1. Iz kafedry akushers'tva i ginekologii (av. - dotsent N.A.
Shilko) pediatriceskogo fakul'teta Krymskogo meditsinskogo
instituta.
(LABOR, COMPLICATED) (BIRTH INJURIES)

YERMAKOVA, A.Ya.,; TIMOSHENKO, L.V.

Effect of the vacuum extractor on the mother and infant.
Akush. i gin. no.1:65-70 '65. (MIRA 18:10)

1. Kafedra akushерства i ginekologii (zav.- doktor med. nauk
L.V. Timoshenko) Lechebnogo fakul'teta L'vovskogo meditsinskogo
instituta.

SOV/137-58-9-18736

Translation from: Referativnyy zhurnal, Metallurgiya, 1958, Nr 9, p 84 (USSR)

AUTHORS: Ponomarev, V.D., Yermakova, B.A.

TITLE: Leaching Alumina From Alunite Ore by Sodium Sulfide Solutions (Vyshchelachivaniye glinozema iz alunitovoy rudy rastvorami sernistogo natriya)

PERIODICAL: Izv. AN KazSSR. Ser. gorn. dela, metallurgii, str-va i stroymaterialov, 1957, Nr 5 (16), pp 69-79

ABSTRACT: In leaching alunite solutions with Na_2S , the extraction of Al_2O_3 in solution rises with the strength of the Na_2S solution. The optimum conditions for the leaching process are the following: 400 g Na_2S /liter; sulfide factor 4.5; process time 1 hr; temperature 100°C; grinding to 140 mesh. Under these conditions, 90% of the Al_2O_3 is extracted in the solution, and its concentration therein is 110 g/liter. The major impurities in alunite rock (Fe and Si) do not go into solution.

1. Ores--Processing 2. Aluminum oxide--Separation

G.S.

Card 1/1

YERMAKOVA, P.B. (Leningrad)

Pathological anatomy of leukemias. Arkh.pat. 21 no.1:44-49 '59.
(MIRA 12:1)

1. Iz kafedry patologicheskoy anatomi (sav. - prof. M.A. Zakhar'-yevskaya) I Leningradskogo meditsinskogo instituta imeni I.P. Pavlova.

(LEUKEMIA pathology.
(Rus))

YERMAKOVA, T.B. (Leningrad)

Pulmonary changes in leukemia. Arkh.pat. 21 no.5:35-41 '59.

(MIRA 12:12)

1. Iz kafedry patologicheskoy anatomi (sav. - prof. M.A. Zakhar'evskaya) I Leningradskogo meditsinskogo instituta im. akad. I.P. Pavlova).

(LEUKEMIA, pathol.
lungs (Eng))

(LUNGS, pathol.
in leukemia (Eng))

YERMAKOVA, F.B., kand.med.nauk

Peculiar course of leucosis. Vrach.delo no.10:101 O '60. (MIRA 13:11)

1. Kafedra patologicheskoy anatomii (Zav. - prof. M.A.Zakhar'yevskaya)
Pervogo Leningradskogo meditsinskogo instituta.
(LEUKEMIA)

YERMAKOVA, F.B. (Leningrad, Lesnoy pr., 65/5, kv.78)

Age-related changes in the hemopoietic organs in mice. Arkh.
amat. i embr. 38 no. 5:56-59 My '60. (MIRA 14:2)

1. Kafedra patologicheskoy anatomi (zav. - prof. N.A. Zakhar'yevskaya)
1-go Leningradskogo meditsinskogo instituta im. akad. I.P.
Pavlova.

(HEMATOPOIETIC SYSTEM) (AGING)

"APPROVED FOR RELEASE: 03/14/2001

CIA-RDP86-00513R001962810008-6

YERMAKOVA, F.B.

Adenomatosis of the lungs. Arkh.pat. 22 no.9:62-66 '60.

(LUNGS--TUMORS)

(MIR 13:12)

APPROVED FOR RELEASE: 03/14/2001

CIA-RDP86-00513R001962810008-6"

YERMAKOVA, F. B. (Leningrad)

Morphogenesis of leukemic cells in the focus of transplantable leukemia in mice. Arkh. pat. no. 6:10-16 '61. (MIRA 14:12)

1. Iz kafedry patologicheskoy anatomii (zav. - prof. M. A. Zakhar'yevskaya) I Leningradskogo meditsinskogo instituta.

(LEUKEMIA)

YERMAKOVA, F. R.

Significance of the lymphoid apparatus of the bronchial tree
in the development of leukemic foci in the lungs in trans-
planted leukemia in mice. Biul. eksp. biol. i med. 55 no.2:
87-91 F'63. (MIRA 16:6)

1. Iz kafedry patologicheskoy anatomii (zav. - prof. M.A.
Zakhar'yevskaya) I Leningradskogo meditsinskogo instituta
imeni I.P. Pavlova. Predstavlena deystvitel'nym chlenom
AN SSSR N.N. Anichkovym.
(LEUKEMIA) (LUNGS—DISEASES) (LYMPHATICS)

YERMAKOVA, G.A.; SHTERN, M.A.; GORELIK, G.N.

Effect of the physical characteristics of white pigments and
fillers on the properties of paint films. Lekokras. mat. i
ikh. prim. no.4:70-84 '61. (MIRA 16:7)

(United States--Pigments)
(United States--Fillers (In paper, paint, etc.)

7/011/61/018/011/002/004
ELL2/E553

AUTHORS: Rassudova, N.S., Yermakova, G.A., and Istomina, V.N.

TITLE: Recovery of titanium dioxide (rutile) from concentrated solutions of titanium sulphate by the addition of various additives prior to hydrolysis. I.

PERIODICAL: Chemie a chemická technologie; Přehled technické a hospodářské literatury, v 18, no. 11, 1961 - 513 abstract ChbI-7085 (Lakokrasochnye materialy, no. 1 1961, 30-33)

TEXT: Titanium dioxide (rutile) was prepared from concentrated solutions of titanium sulphate in the presence of additives such as zinc chloride, formic acid, titanium tetrachloride etc. Additions ranged from 1 to 3%. The resulting titanium dioxide consisted of 99% rutile.
1 figure, 6 tables, 9 references.

[Abstractor's Note: Complete translation.]

Card 1/1

S/081/61/000/022/071/076
B144/B138

AUTHORS:

Rassudova, N. S., Yermakova, G. A., Istromina, V. N.

TITLE:

Synthesis of titanium dioxide of the rutile modification from concentrated titanium sulfate solutions by injecting certain additions before hydrolysis

PERIODICAL:

Referativnyy zhurnal. Khimiya, no. 22, 1961, 473, abstract 22P194 (Lakokrasochn. materialy i ikh primeneniye, no. 1, 1961, 30-33)

TEXT: Titanium dioxide of the rutile modification was obtained from concentrated titanium sulfate solutions by adding 1-3% zinc oxide, aluminum hydroxide, TiO_2 (rutile) hydrochloric acid or its salt with the oxides enumerated, magnesium chloride, formic and acetic acids, and of a number of other compounds, to the prehydrolysis solution before adding the usual nuclei. This method means that titanium dioxide can be obtained without further cations and with up to 99.0% TiO_2 content. As to weather resistance, moisture content, photochemical activity, and basic coloring properties, the TiO_2 samples obtained in this way are in no way inferior to TiO_2 of the

Card 1/2

Synthesis of titanium dioxide ...

S/081/61/000/022/071/076
B144/B138

rutile modification obtained by calcination of anatase-type metatitanic acid with zinc oxide. 9 references. [Abstracter's note: Complete translation.]

Card 2/2

BELYAVSKIY, V.Ye.; YENGLIKOVA, G.A.

Equipment for fine purification of paint materials and semiprocessed products; brief review of foreign literature. Litinformkhim
prim. no.3:82-89 '63. (MIRA 16:9)
(Filters and filtration) (Paint industry—Equipment and supplies)

YERMAKOVA, G. F.
KURAYTIS, S. A., KUCHAEV, I. A., YERMAKOVA, G. F.

Hides and Skins

Practical method of processing badger hides, Leg. prom. 12 №. 4, 1952

9. Monthly List of Russian Accessions, Library of Congress, July ² 1953. Unclassified.

YERMAKOVA, G.G.

Materials for the study of the hydatidiform mole. Akush.i gin.
no.5:81-86 '61. (MIRA 15:1)

1. Iz Nauchno-issledovatel'skogo instituta akusharstva i ginekologii (dir. - prof. O.V. Makeyeva).
(MOLE (DERMATOLOGY))

YERMAKOVA, G. P. and KOZNETSOV, V. V. (Perm State University A. M. Gorkiy)

"Investigation of hydrogenation of metals during electrolysis by method of measurement of electric resistance".

Report presented at the Intervuz Conference on Electrodeposition of Nonferrous Metals, Ural Polytechnical Institute im. S. M. Kirov, Sverdlovsk, held from 27-30 May 1963

(Reported in Tsvetnyye Metally, No. 10, 1963, pp. 82-84)
JPRS 24,651 19 May 1964

YERMAKOVA, I.A.

YERMAKOVA, I.A. "The Biology and Ecology of Honey Plants of the Kungur Ural Piedmont." Min Higher Education USSR. Nolotov State U imeni A.M. Gor'kiy. Moscow, 1956. (Dissertation for the Degree of Candidate in Biological Science)

So: Knizhnaya Letopis', No. 18, 1956,

USSR / Cultivated Plants. Commercial. Oil-Bearing. M-5
Sugar-Bearing.

Abs Jour: Ref Zhur-Biol., No 6, 1958, 25194

Author : Yermakova, I. A.
Inst : Not given
Title : Echium vulgare L.

Orig Pub: Pchelovodstvo, 1957, No 7, 46-47

Abstract: In Kungurskoye Predural'ye, where one ordinarily sees growing naturally during the time from June to August the Echium vulgare L. as a biennial, this plant appears as a highly productive source of nectar. Its nectar productivity in 1954 amounted to 500 kg. per 1 ha. of planting. It occupied about 10 ha. of buckwheat. The Echium vulgare L. may be a prospective crop for nectar-bearing on the flinty low-yielding carbonate soils

Card 1/2

134

USSR / Cultivated Plants: Commercial. Oil-Bearing. M-5
Sugar-Bearing.

Abs Jour: Ref Zhur-Biol., No 6, 1958, 25194

Abstract: of the slopes and high ridges in the rayons of
South-East and Southern Predural'ye. -- A. M.
Smirnov

Card 2/2

YERMAKOVA, I. A.

"The Nutritional Value of Pasture Fodders of the Chernozem Soils
in Wintertime and Their Utilization." Cand Agr Sci, All-Union Sci
Res Inst of Fodders, Moscow, 1953. (RZhBiol, No 3, Oct 54)

Survey of Scientific and Technical Dissertations Defended at USSR
Higher Educational Institutions (10)

So: Sum. No. 481, 5 May 55

YERMAKOVA, I. A.

USSR / Farm Animals. Small Horned Stock

Q

Abs Jour: Ref Zhur-Biol., No 5, 1958, 21464

Author: Yermakova I. A.

Inst :

Title : Availability of Carotene to Sheep under Pasture Maintenance Conditions in the Kara-Kum Desert (Obespechenmost' ovets karotinom pri pastbishchnom soderzhanii v Kara-Kumakh)

Orig Pub: Izv. AN Turkm SSR, 1957, No 2, 119-122

Abstract: The sheep pasturing in the Kara-Kum Desert are not uniformly supplied with carotene throughout the year. In April, they get 222-223 mg.; in May, 144-160 mg.; in July, when seudek [?] and Chrosophora sabulosa develop, they obtain ~202 mg.; when these annuals are deficient - 5 mg.; finally, in the fall, they get but 2 to 5 mg. of carotene. Deficiency in carotene intake

Card 1/2

21

L 22354-66	EUT(1)						
ACC NR:	AP6013269	SOURCE CODE:	UR/0413/66/000/008/0060/0060				
INVENTOR: <u>Yermakov, V. V.</u>							
ORG: none							
TITLE: Method of recording the movements of a skier. Class 30, No. 180737							
SOURCE: Izobreteniya, promyshlennyye obraztay, tovarnyye znaki, no. 8, 1966, 60							
TOPIC TAGS: radiotelemetry, <u>biotelemetry</u>							
ABSTRACT: An Author Certificate has been issued for a method of recording the movements of a racing skier. This is accomplished by simultaneously recording the movements and taking motion pictures of the subject. To obtain objective data on the character and structure of the movements of a sportsman, the oscillograph of the radiometric system selectively records movements synchronously with a motion picture camera. At a given moment, a synchronizing signal is transmitted by radio to the oscillograph monitor and to a screen monitor situated in the field of vision of the camera objective. This signal switches on electromagnetic devices. [CD]							
SUB CODE: 06/ SUBM DATE: 22Feb65/ ATD PRESS: 4240							
Card 1/10 UDC: 612-007 : 616-073.78							

LISENKO, A.Ia.; MYCHKO-MEGRIN, A.Yu.; BARKOV, V.N.; KASATSKIY, A.I.;
FEDOROVA, S.P.; YERMAKOV, V.V.

Medicogeographical studies of Brazil. Vop geog. no.68:137-203
(MIRA 18:12)
'65.

YERMAKOV, V.Ye.

Collaboration with institutes. Work of the Central Laboratory of
the Moscow Small Automobile Factory. Zav.lab. 28 no.11:1390 '62.
(MIRA 15:11)

1. Zamestitel' nachal'nika TSentral'noy zavodskoy laboratorii
Moskovskogo zavoda malolitrazhnykh avtomobiley.
(Moscow--Automobile industry) (Engineering laboratories)

YERMAKOV, V. Ye.

YERMAKOV, V. Ye. -- "Foundations of the Organization of Forestry in the Protective Belts of the Central Course of the Dnepr." Min Higher Education USSR. Belorussian Forestry Engineering Inst imeni S. M. Kirov. Minsk, 1955. (Dissertation for the Degree of Candidate in Agricultural Sciences)

SO: Knizhnaya Letopis', No 1, 1956

YERMAKOV, V.Ye., kand. sel'skokhozyaystvennykh nauk

Organising the management of protective forest belts. Sbor.
nauchn. trud. BIPI no.10:174-180 '57. (MINA 11:12)
(Forests and forestry) (Erosion)

YERMAKOV V.Ye

COUNTRY : USSR
CATEGORY : Forestry, Forest Management.
ABS. JOUR. : RZhBiol., No. 14 1959, No. 63199
AUTHOR : Yermakov, V. Ye.
INST. : Belorussian Forest Engineering Institute
TITLE : On the Problem of Organising the Management in Forests
of Protective Belts
ORIG. PUB. : Nauk. nauchn. tr. Belorussk. lesotekhn. Inst., 1957, vyp.
1C, 174-180
ABSTRACT : "Abstract"

CARD: 1/1

-25-

ZAKHAROV, V.K., prof.; TROUILL', O.A., kand.sel'skokhos.nauk; MIROSHNIKOV,
V.S., kand.sel'skokhos.nauk; YERMAKOV, I.Ya., kand.sel'skokhos.
nauk; CHIRIVYK, I., red.; STEPANOVA, N., tekhn.red.

[Timber valuation manual] Lesotsakentsionnyi spravochnik. Pod
obshchei red. V.K.Zakharova. Minsk. Gos.izd-vo BSSR, 1959.
(MIRA 13:4)
300 p.
(Forests and forestry--Valuation)

YERMAKOV, V.Ye.

Characteristics of the composition of naturally regenerated stands.
Sbor. bot. rab. Bel. otd. VBO no.2:189-192 '60. (MIRA 15:1)
(White Russia—Forests and forestry)

ZAKHAROV, Vasiliy Kirillovich, prof.; TRULL', Oleg Antonovich; MIROSHNIKOV, Vladimir Semenovich; YERMAKOV, Viktor Yevseyevich; CHERNYAK, I., red.; NOVIKOVA, V., tekhn. red.

[Forest valuation handbook] Lesotaksatsionnyi spravochnik. Pod obshchei red. V.K.Zakharova. Izd.2., ispr.i dop. Minsk, Gos. izd-vo BSSR. Red. nauchno-tekhn.lit-ry, 1962. 367 p.

(MIRA 15:6)

(Forests and forestry--Valuation).

"APPROVED FOR RELEASE: 03/20/2001

CIA-RDP86-00513R001962810008-6

YERMAKOV, V.Ye.

Growth and productivity of wood-sorrel and whortleberry spruce forests.
Bot.; issl. Bel. otd. VBO no.6;131-135 '64. (MIRA 18s7)

APPROVED FOR RELEASE: 03/20/2001

CIA-RDP86-00513R001962810008-6"

Yermakov, Ya. V.

VISHNYAKOV, A.P.: DOBROVOL'SKIY, D.S.: YERMAKOV, Ya.V.: TUKACHINSKIY, S. Ye.

Electrophoretic determination of protein fractions on paper. Doklady Akad. Nauk SSSR 87 no. 6:1035-1038 21 Dec 1952. (CLML 23:5)

1. Presented by Academician A. I. Oparin 23 October 1952. 2. Lenigrad Scientific-Research Institute of Blood Transfusion, Central Scientific-Research Paper Institute, and Central Scientific-Research Veterinary Laboratory.

S/035/62/000/012/052/064
A001/A101

AUTHORS: Trunin, Yu. M., Yermakov, Ye. G.

TITLE: A template-parallaxometer

PERIODICAL: Referativnyy zhurnal, Astronomiya i Geodeziya, no. 12, 1962, 19,
abstract 120131 ("Byul. nauchno-tekhn. inform. M-vo geol. i okhrany
nadr SSSR", 1961, no. 5 (33), 57 - 58)

TEXT: A template was constructed in an expedition of the All-Union Aero-
geological Trust; it is used to measure (without a stereoscope) a pair of points,
whose relative elevation is to be determined, from two adjacent serial photo-
graphs of the base (b) of photographing and difference of forward parallaxes
(Δp). The instrument set includes a table of parallactic coefficients (H/b)
using which one can easily determine (from a corresponding altitude of photo-
graphing and measured base) elevation by the formula:

$$h = (H/b) \cdot \Delta p.$$

Card 1/2

A template-parallaxometer

S/035/62/000/012/0,2/064
A001/A101

The table of expected errors m_h , expressed in terms of photography altitude, is presented as a function of distance (r) on aerial photograph between the points being determined (from $1/700 \cdot H$ at $r = 10$ mm to $1/280 \cdot H$ at $r = 55$ mm). ✓

I. Mityachkin

[Abstracter's note: Complete translation]

Card 2/2

MOSHKOV, B.S.; YERMAKOV, Ye.I.; DEGTYAREV, P.A.

Effect of soil moisture on the diurnal rhythms of movement in *Perilla* *ocymoides*. Dokl. AN SSSR 153 no. 2:477-480 N '63. (MIRA 16:12)

1. Agrofizicheskiy nauchno-issledovatel'skiy institut, Leningrad.
Predstavлено академиком А.Л.Курсановым.

YERMAKOV, Ye.I., shefer.

Truck driving experience. Avt.dor.18 no.7:16-17 N '55. (MIRA 9:b)
(Automobile drivers)

DEMIN, N.A.; ~~YERMAKOV, Ye.I.~~

Experience in constructing and using Centri-Cleaners. Bun.prom.
33 no.10:19-20 O '58. (MIRA 11:11)

1. Kendrovskiy tsellyulosno-bumashchyy kombinat.
(Woodpulp industry--Equipment and supplies)

BARANOV, L.A.; GORBATOV, V.I.; YEVREINOV, D.V.; YERMAKOV, Ye. I.;
PITERSKOV, N.I.; RYL'TSEV, A.M.; RYAZANTSHEV, I.O.; TCHOPOV, A.S.;
TSYETLINE, G.I.; YAROSHEV, D.M.; TRUBIN, V.A., glavnnyy red.;
SOSHIN, A.V., zam.glavnogo red.; RAKITIN, G.A., red.; GRINEVICH,
G.B., red.; YEPIFANOV, S.P., red.; ONUFRIYEV, I.A., red.; KHOKHLOV,
B.A., red.; ZIMIN, P.A., red.; TABUNINA, M.A., red.izd-va;
OSENKO, L.M., tekhn.red.

[Manual on accident prevention and industrial sanitation during
construction and repair operations] Spravochnoe posobie po tekhnike
bezopasnosti i promsanitarii pri proizvodstve stroitel'no-montazh-
nykh rabot. Pod red. G.A.Rikitina. Moskva, Gos.izd-vo lit-ry po
stroit., arkhit. i stroit.materiale, 1961. 359 p.

(MIRA 14:4)

1. Akademiya stroitel'stva i arkhitektury SSSR. Institut organi-
zatsii, mekhanizatsii i tekhnicheskoy pomoshchi stroitel'stva.
(Construction industry--Hygienic aspects)

YERMAKOV, Ye.I.; SHAMSIYEV, A.

Growing plants on porous ceramics in research work.
Trudy Otd. fiziol. i biofiz. rast. AN Tadzh. SSR 3:
124-135 '64.

(MIRA 18:4)

YERMAKOV, Ye.S.

Some data on the use of oxyhemometry for the comparative evaluation of the effectiveness of oxygen and aerotherapy in the children's clinic. Pediatrilia 41 no.9:50-54 S '62.
(MIRA 15:12)

1. Iz akademicheskoy gruppy deystvitel'nogo chlena AMN SSSR prof. Yu.F.Dombrovskoy i kafedry detskih bolezney (zav. - prof. Yu.F.Dombrovskaya) I Moskovskogo ordena Lenina meditsinskogo instituta imeni I.M.Sechenova (dir. - chlen-korrespondent AMN SSSR prof. V.V.Kovanov).
(BLOOD—OXYGEN CONTENT)(AEROTHERAPY)(OXYGEN THERAPY)

YERMAKOV, Ye.S.

Tillage in green fallows. Zemledelie 26 no.8:32-33 Ag '64.
(MIRA 17:11)

1. Nauchno-issledovatel'skiy institut sel'skogo khozyaystva
tsentral'nykh rayonov necherhozemnoy zony.

YERMAKOV, Ye.S.

Changes in some functions of the external respiration during chronic pneumonia in children. Sov. med. 28 no. 9:32-34, S '65.
(MIRA 18:9)

1. Akademicheskaya gruppa deystvitel'nogo chlena AMN SSSR prof.
Yu.F.Dombrovskoy i kafedra detskikh bolezney (zav. Yu.F.Dombrovskaya)
I Moskovskogo ordena Lenina meditsinskogo instituta imeni Sechenova.

127. Therapy of Intoxication Caused by Ethylated Gasoline

"Clinical Evaluation of Some Methods of Treating Chronic Intoxication by Ethylated Gasoline [Leaded Gasoline]," by Capt Ye. V. Yermakov of the Medical Service, Voyenno-Meditsinskiy Zhurnal, No 3, MAR 57, pp 46-48

Clinical tests conducted by N. V. Lazarev, I. G. Ravkin, A. A. Glebovich, and others established that prolonged sleep induced by barbiturates combined with the administration of magnesium sulfate and vitamin B₁ are an effective method of therapy for intoxication caused by ethylated gasoline, magnesium sulfate being the more effective therapeutic agent. Previous experiments at the Military Medical Academy imeni S. M. Kirov and the First Leningrad Medical Institute conducted by A. N. Kuznetsov and V. V. Zakusov, in which sodium hyposulfite and glucose were administered to treat such an intoxication, produced negative results. Failure to develop a specific therapy for tetraethyl lead intoxication was partly due to the fact that little was known of the intoxication process which took place in the organism. "It is now known," the author writes, "that ethylated gasoline intoxication induces a pathological process in the organism, which, once initiated, continues to develop independently of the poison." (U)

YERMAKOV, Ye.V.

Clinical aspects and treatment of poisoning with some hallucinogens.
(MIRA 15:2)
Voen.-med. zhur. no.8:89-91 Ag '61.
(HALLUCINOGENIC DRUGS—TOXICOLOGY)

YERMAKOV, Yevgraf Viktorovich; KLIMOV, S.P., red.; LEBEDEVA, G.T.,
tekhn. red.

[Chronic poisoning with tetraethyllead] Khronicheskoe trav-
lenie tetaetilsvintsom. Leningrad, Medgiz, 1963. 98 p.
(MIRA 16:4)

(LEAD POISONING)

BOGDANOV, N.A.; YEMAKOV, Ye.V.; IMANUILOV, R.G.; LIKHUSHIN, V.I.;
SHELYAPIN, N.N.; STESHENKO, V.F., red.

[Pathology, clinical aspects, and treatment in lesions
from toxic chemical agents and radioactive substances]
Patologija, klinika i terapija pri porazhenijakh OV i RV.
Leningrad, Meditsina, 1964. 188 p. (MIKA 1812)

PILLE, E.R.; VERMAKOVA, Ye.Ya.; ZUYEVA, Yu.N.; NADAYCHIK, L.V.

Study of viruses isolated from monkeys. Vop. virus. 6 no.6:704-710
(MIRA 15:2)
M-D '61.

1. Moskovskiy nauchno-issledovatel'skiy institut virusnykh preparatov.
(VIRUSES) (MONKEYS)

S/122/62/000/011/001/001
D262/D308

AUTHOR: Yermakov, Yu.A., Engineer

TITLE: The threading of parts made of pre-hardened steels

PERIODICAL: Vestnik mashinostroyeniya, no. 11, 1962, 57-60

TEXT: A detailed description is given of experiments conducted to establish the geometrical parameters of the working parts of the cutters and optimal speeds of cutting and feeding for threading of hardened steels of 35 - 64 HRC. Threading tools used in the experiments were fitted with cutting blades made of various hard alloys (tungsten carbide). Conclusions: 1) The wear changes during the cutting process; there are 3 periods: 1st - intensive wear of the rear face (to 0.1 - 0.15 mm), 2nd - less intensive and almost constant rate of wear, 3rd - very intense rate of wear. 2) The degree of finish of the thread sides depends little on the cutter wear and operating conditions. 3) The lowest wear is obtained for front angle $\gamma = -10^\circ$ for hardness of 64 HRC⁵ and $\gamma = -5^\circ$ for hardnesses of 45 and 57 HRC, and for clearance angle $\alpha = 6^\circ$ for all

Card 1/2

The threading of parts ...

S/122/62/000/011/001
D262/D308

hardnesses. 4) With increasing hardness of the worked metal the permissible feed decreases. 5) The effect of the cutting speed on the cutter wear is more pronounced for harder steels (57 - 64 HRC) than for less hard steels (35 - 45 HRC). There are 2 figures and 4 tables.

Card 2/2

YERMAKOV, Yu.G. [IErmakov, IU.H.]

Angular unconformity between the Middle and Upper Sarmatian in
Privol'noye, Bashtanka District. Geol. zhur. 24 no.4:109-110 '64.
(MIRA 18:2)

1. Dnepropetrovskaya kompleksnaya geologorazvedochnaya
ekspeditsiya.

YERMAKOV, Yu.G. [IErmakov, IU.H.]

Erosive-tectonic scarp in the northern part of the Black Sea
region. Geol. zhur. 25 no.2:103-104 '65. (MIRA 18:6)

1. Dnepropetrovskaya kompleksnaya geologorazvedochnaya ekspeditsiya.

YERMAKOV, Yu.G.

Aptian and Albian troughs in the Sivash and Karkinit region
in the southern margin of the Russian Platform. Dokl. AN SSSR
165 no.3:640-642 N '65. (MIRA 18:11)

1. Dnepropetrovskaya kompleksnaya geologorazvedochnaya
ekspeditsiya tresta "Dneprogeologiya". Submitted June 4, 1965.

20-118-6-5/43

AUTHOR: Yermakov, Yu.I.

TITLE: Three-Dimensional Space With a Cubic Semimetric (Trekhmernoye prostranstvo s kubicheskoy polumetrikoy)

PERIODICAL: Doklady Akademii Nauk, 1958, Vol 118, Nr 6, pp 1070-1073 (USSR)

ABSTRACT: The author considers three-dimensional Finsler spaces $F_3^{(3)}$ with the metric

$$ds^2 = e_{\alpha\beta\gamma} dx^\alpha dx^\beta dx^\gamma \quad (\alpha, \beta, \gamma, \dots, \omega = 1, 2, 3)$$

and a non-vanishing determinant. He constructs a connection in the $F_3^{(3)}$ being invariant with respect to a conformal transformation of the metric; necessary and sufficient conditions that $F_3^{(3)}$ is conformally plane are given. Further some properties of a space X_3 with a given field of the pseudotensor are investigated. A result due to Tonooka [Ref 2] is formulated somewhat more exact.

There are 4 references, 2 of which are Soviet, 1 American, 1 Dutch.

Card 1/2

~~Three-dimensional~~ Space With a Cubic Semimetric

20-118-6-5/43

ASSOCIATION: Saratovskiy gosudarstvennyy universitet imeni N.G.Chernyshevskogo
(Saratov State University imeni N.G.Chernyshevskiy)

PRESENTED: September 13, 1957, by I.G.Petrovskiy, Academician

SUBMITTED: December 28, 1956

~~Signature~~

Card 2/2

5(3)

SOV/62-59-7-34/38

AUTHORS: Kagan, Yu. B., Bashkirov, A. E., Kliger, G. A., Fernakov,
Yu. I.

TITLE: Transformation of n-Butyl Amine Under Synthesis Conditions
From Carbon Oxide and Hydrogen (Prevrashcheniye n.butilamina
v usloviyakh sinteza iz okisi ugleroda i vodoroda)

PERIODICAL: Izvestiya Akademii nauk SSSR. Otdeleniye khimicheskikh nauk,
1959, Nr 7, pp 1345 - 1346 (USSR)

ABSTRACT: It had been found in previous investigations that when syn-
thesizing n-butyl amine from CO, H₂ and NH₃ in the presence
of iron catalysts, di- and trialkyls are formed in addition
to monoalkyl amines. Moreover, the formation of the di- and
trialkyls was found to be dependent in the course of reaction
by the facilitated reacting possibility of primary amines with
oxygen-containing products from the hydrogenation of the
carbon oxide (alcohols, aldehydes, etc). The conclusion was
drawn therefrom that the secondary and tertiary amines may be
obtained from CO, H₂, and the primary amine, here n-butyl
amine. This conclusion is submitted to examination in the

Card 1/3

Transformation of n-Butyl Amine Under Synthesis
Conditions From Carbon Oxide and Hydrogen

SOV/62-59-7-34/38

present paper. The synthesis conditions were the same as in references 1 and 2. A molten iron catalyst was also used in the investigation. The amines obtained were potentiometrically titrated. The following was investigated in the course of synthesis: the influence exerted by the amine addition rate upon the catalyst, by temperature, pressure, and the ratio CO/H in the initial mixture on the yield and the products of the synthesis. The data obtained are specified in the table. It may be observed from the latter that secondary and tertiary amines may be actually obtained in the manner described, and that, by changing the conditions, the reaction may be directed to the production of either secondary or tertiary amines. Increase in the concentration of n-butyl amine and temperature leads to the predominant formation of secondary amine, dilution of hydrogen, low temperature, and slow addition of n-butyl amine on the catalyst for the formation of tertiary amine. Rising pressure increases the formation of the two amines. At 80-150° the largest percentage yield of secondary and tertiary amines is obtained (45%). The additionally obtained primary amine (50%) is caused by disproportionation. There are 1

Card 2/3

Transformation of n-Butyl Amine Under Synthesis
Conditions From Carbon Oxide and Hydrogen

SCV/62-59-7-34/3C

table and 10 references, 7 of which are Soviet.

ASSOCIATION: Institut nefti Akademii nauk SSSR (Institute of Petroleum
of the Academy of Sciences, USSR)

SUBMITTED: January 19, 1959

Card 3/3

SOV/20-128-3-7/32

16(1)

AUTHOR: Yermakov, Yu.I.

TITLE: \mathbb{X}_n Spaces With an Algebraic Metric and Semimetric

PERIODICAL: Doklady Akademii nauk SSSR, 1959, Vol 128, Nr 3, pp 460-463 (USSR)

ABSTRACT: In n-dimensional Finsler spaces $F_n^{(q)}$ the author defines if:

the case $n \geq 2, q \geq 3$ a symmetric linear affine connection in
a way deviating from Cramlet /Ref 77 (simpler). He deter-
mines complete systems of differential and conformal differ-
ential commutants. The author gives necessary and sufficient
conditions that $F_n^{(q)}$ be plane or conformally plane. All to-
gether there are five theorems without proof. The author
mentions A.Ye.Liber. There are 7 references, 4 of which are
Soviet, 1 German, 1 American, and 1 Japanese.

ASSOCIATION: Saratovskiy gosudarstvennyy universitet imeni N.G.Cherny-
shevskogo (Saratov State University imeni N.G.Chernyshevskiy)

PRESENTED: May 25, 1959, by I.G.Petrovskiy, Academician

SUBMITTED: May 22, 1959

Card 1/1

YERMAKOV, Yu. I., CAND PHYS MATH SCI, "GEOMETRY OF SPACES X_S- WITH ALGEBRAIC METRIC OR SEMIMETRIC." SARATOV, 1960. (MIN OF HIGHER AND SEC SPEC ED RSFSR. KAZAN' ORDER OF LABOR RED BANNER STATE UNIV IM V. I. UL'YANOV-LENIN). (KL, 2-61, 198).

-10-

s/020/62/143/005/014/018
B101/B110

AUTHORS: Yermakov, Yu. I., Boreskov, G. K., Corresponding Member
AS USSR, Dzis'ko, V. A., and Ivanova, L. I.

TITLE: Low-temperature polymerization of ethylene on chromium oxide catalyst

PERIODICAL: Akademiya nauk SSSR. Doklady, v. 143, no. 5, 1962,
1139-1141

TEXT: The polymerization of ethylene at 75°C, i.e., below the m.p. of the polymer, on a chromium oxide catalyst, whose preparation has been described earlier (DAN, 136, no. 1, 125 (1961)), is discussed. The experiments were made with high-purity C₂H₄ (1-2 ppm O₂, 3 ppm H₂O) in purified n-heptane at constant pressure (5-15 atm). The following results were obtained (Fig. 1): (1) an induction period was observed (30-150 min), which was shorter at higher pressure and higher concentration of the catalyst; (2) after the induction period the reaction rate remained constant for a long time (at low catalyst concentration up to

Card 1/3

S/020/62/143/005/014/018
B101/B110

Low-temperature polymerization ...

20 hrs); (3) the polymer consisted of 0.2 to 3 mm large granules; (4) the initial grains of the catalyst had a size of 0.5 to 1 mm. Catalyst particles of $1-10 \mu$ were found on the surface (not in the bulk) of the polymer grains; (5) a threshold concentration of the catalyst exists below which there is no polymerization. Hence no polymerization occurred with 0.0274% catalyst in the solvent, and a slight polymerization with 0.0325%; (6) the activity, A, of the catalyst, depends on the pressure, P; $A = aP^n$ ($a, n = \text{constants}$). At $< 9 \text{ atm}$, $n \sim 2$, at $11-15 \text{ atm}$, $n \sim 3$; (7) the molecular weight, MW, is independent of the catalyst concentration, but depends on P; at 9 atm, the MW was 110,000-125,000, at 15 atm, the MW was 400,000-600,000; (8) a maximum yield (1800 g polyethylene per g catalyst) was obtained at 15 atm and 0.0520% catalyst concentration. There are 4 figures and 1 table.

ASSOCIATION: Fiziko-khimicheskiy institut im. L. Ya. Karpova
(Physicochemical Institute imeni L. Ya. Karpov)

SUBMITTED: January 11, 1962

Card 2/3

S/020/62/143/005/014/018
B101/B110

Low-temperature polymerization ...




Fig. 1: kinetic curve of C_2H_4 polymerization at 9 atm, 75°C ,
catalyst concentration 0.336%. Legend: abscissa time, min;
ordinate g C_2H_4 /g catalyst·hr.

Card 3/3

YERMAKOV, YU.I.; BORESKOV, G.K.; DZIS'KO, V.A.; IVANOVA, L.I.; TRIFONOV,
A.S.

Polymerization of ethylene on a chromia catalyst without a solvent. Khim.prom. no.7:496-498 Jl '63. (MIRA 16:9)

L 8493-66 ENT(m)/EXP(j)/T RM

ACC NR: AP5026476

SOURCE CODE: UR/0195/65/006/005/0889/0896

AUTHOR: Yermakov, Yu. I.; Ivanov, L. P.

ORG: Physicochemical Institute im. L. Ya. Karpov (Fiziko-khimicheskiy institut);
Institute of Catalysis, SO AN SSSR (Institut kataliza SO AN SSSR)

TITLE: Study of the polymerization kinetics of ethylene on a chromium trioxide catalyst
under conditions of formation of a crystalline polymer

SOURCE: Kinetika i kataliz, v. 6, no. 5, 1965, 889-896

TOPIC TAGS: chromium oxide, polymerization kinetics, ethylene

ABSTRACT: The study deals with the polymerization kinetics of ethylene on a chromium trioxide catalyst in cyclohexane at temperatures below 90°C, i.e., in a suspension. The dependence of the polymerization rate on time is characterized by a distinct induction period in the course of which the polymerization rate changes from zero to a stationary

"APPROVED FOR RELEASE: 03/20/2001 CIA-RDP86-00513R001962810008-6

and varies as almost as many as there are to draw a square on a board.

Card 1/2

UDC 541.124:642.962.6:647.313.2

APPROVED FOR RELEASE: 03/20/2001 CIA-RDP86-00513R001962810008-6"

"APPROVED FOR RELEASE: 03/20/2001 CIA-RDP86-00513R001962810008-6

The mathematical calculations were made
with the aid of computers on the basis of the experimental data.
Orig. art. has: 5 figures and 4 formulas.

SUB CODE: 07 / SUB DATE: 18Jul64 / ORIG REF: 018 / OTH REF: 004

BVK
Card 2/2

APPROVED FOR RELEASE: 03/20/2001 CIA-RDP86-00513R001962810008-6"

L 8495-66 EWT(m)/EWP(j)/T/EWP(t)/EIP(b) IJP(c) JI/RM

ACC NR: AP5026478

SOURCE CODE: UR/0195/65/006/005/0909/0915

AUTHOR: Yermakov, Yu. I.; Boreskov, G. K.; Slin'ko, M. G.; Skomorokhov, V. B.

ORG: Institute of Catalysis, SO AN BSSR (Institut kataliza SO AN BSSR)

TITLE: Kinetics and mathematical modelling of the process of suspension polymerization of ethylene on a chromium trioxide catalyst

SOURCE: Kinetika i kataliz, v. 6, no. 5, 1965, 909-915

TOPIC TAGS: polymerization rate, ethylene, mathematic model, chromium oxide

ABSTRACT: The kinetic relationships obtained by studying the suspension polymerization of ethylene on a chromium trioxide catalyst are considered mathematically. The process was simulated on an MN-14 analog computer. The experimental curves of the polymerization rate versus catalyst concentration and ethylene pressure are compared with the curves obtained by the computer, and it is shown that the mathematical description correctly expresses the relationships found experimentally. The proposed mathematical

"APPROVED FOR RELEASE: 03/20/2001 CIA-RDP86-00513R001962810008-6

industrial application of the process of suspension polymerization.
4 figures and 14 formulas.

UDC 541.124:542.952.6:547.313.2

Card 1/2

APPROVED FOR RELEASE: 03/20/2001 CIA-RDP86-00513R001962810008-6"

YERMAKOV, Yu.I.

Invariant equipment of certain surfaces of a special type in projective space. Dokl. AN SSSR 162 no.6; 1234-1237 Je '65. (MIRA 18:7)

1. Saratovskiy gosudarstvennyy universitet im. N.G.Chernyshevskogo.
Submitted December 10, 1964.

KOVALEVSKIY, I.I., kand. tekhn. nauk; YERMAKOV, Yu.M., ; MERINOV, N.A.;
FROLOVA, V.A.; CHIZHIKOVA, L.I.; NEMENYAGI, D.K., red.; izd-va;
SHIBISTSEVA, N.V., tekhn. red.

[Album of heating furnaces and stoves] Al'bom otopitel'nykh i bytovykh pechей. Moscow, Gosstroizdat. Pt.2, [Stoves for heating and cooking] Pechi otopitel'no-varochnye. 1962. 88 p. (MIRA 16:1)

1. Akademiya stroitel'stva i arkhitektury SSSR. Institut po strоitel'stvu, Rostov-on-Don. 2. Rukovoditel' laboratoriи otopleniya i ventilyatsii Nauchno-issledovatel'skogo instituta po strоitel'stvu, Rostov-on-Don (for Kovalevskiy). 3. Nauchno-issledovatel'skiy institut sanitarnoy tekhniki Akademii stroitel'stva i arkhitektury SSSR (for Yermakov, Merinov, Frolova, Chishikova). (Stoves) (Furnaces, Heating)

ACC NR: AP6029952

(A, N)

SOURCE CODE: Ul/0413/66/000/015/0129/0130
36

INVENTORS: Zagorodnikov, A. Ya.; Chernyanskiy, P. M.; Yormakov, Yu. M.; Zamchalov, Yu. P.; Shauzyan, G. A.

ORG: none

TITLE: A method for taking a finish cut in producing bodies of revolution. Class 49; No. 184580 [announced by Moscow Higher Technical School of the Order of Lenin and the Order of the Workers' Red Banner imeni N. E. Bauman (Moskovskoye ordena Lenina i ordena Trudovogo Krasnogo Znameni vyssheye tekhnicheskoye uchilishche)]

SOURCE: Izobret prom obraz tov zn, no. 15, 1966, 129-130

TOPIC TAGS: metalworking, metalworking machine accessory, machine tool, metal cutting machine tool, body of revolution

ABSTRACT: This Author Certificate presents a method for taking a finish cut in producing bodies of revolution being simultaneously turned (see Fig. 1). To increase the efficiency and to improve the quality of surface, the finish cut is taken with a tool bit fed in the radial and the tangential directions in respect to the product. The tool bit is provided with two cutting blades, one of which is held at an angle to the axis of the product and is fed gradually into the contact with the product at the removal zone of the outer layer. The other blade is held parallel to the axis

UDC: 621.941.1:08

Card 1/2

L 09256-67

ACC NR: AP6029952




Fig. 1. 1 - tool bit; 2 - first cutting blade; 3 - product; 4 - zone of outer layer removal; 5 - second cutting blade

0

of the product and is ground to fit that region of the body of revolution which is being cut by this blade. It is this second blade which produces the finish cut on the product. Orig. art. has: 1 figure.

SUB CODE: 13/ SUBM DATE: 17Oct64

YERMAKOV, Yu. Ye.
YERMAKOV, Yu.Ye., inzhener.

Continuous valveless system for central heating. Gor.khoz.Rosk.
25 no.6:27-29 Je '51. (MLRA 10:9)
(Heating from central stations)

YERMAKOV, Yu. Ye.

Heating from Central Stations

Organizing a central heating system for a large apartment house block. Gor.khoz.
Mosk. 26 no. 2, 1952.

9. Monthly List of Russian Accessions, Library of Congress, April 1953, 2Uncl.

YERMAKOV, Yu. Ye.

Moscow - Hotels, Taverns, etc.

Sanitary and service equipment of the Hotel "Sovetskaya." Gor. khog. Mosk. 26 No.4, 1952

Monthly List of Russian Acquisitions, Library of Congress, July 1952. Unclassified.

YERMAKOV, Yu.Ye.

Ventilation of apartments in standard-plan apartment houses. Vod.i
san. tekhn. no.12:19-23 D '56. (MLRA 10:3)
(Ventilation) (Apartment houses--Heating and ventilation)

YERMAKOV, Yu.Ye.

New design of multiloop safety devices for low-pressure steam
boilers. Vod. i san. tekhn. no. 6:10-13 Je '58. (MIRA 11:5)
(Boilers)

ACCESSION NR: AP4032508

S/0080/64/037/004/0922/0925

AUTHORS: Yermakova, A.; Morozov, N. G.

TITLE: Absorption method of separating methylchlorosilane and collecting the unreacted methyl chloride in the direct synthesis process

SOURCE: Zhurnal prikladnoy khimii, v. 37, no. 4, 1964, 922-925

TOPIC TAGS: methylchlorosilane, direct synthesis, methyl chloride absorption, chlorobenzene absorbent, alkylchlorosilane synthesis, liquid gas phase equilibrium, nitrogen methylchloride chlorobenzene system nitrogen ethylchloride chlorobenzene system, nitrogen methyl-dichlorosilane chlorobenzene system, nitrogen dimethyldichlorosilane chlorobenzene system. Raoult's law, heat of solution

ABSTRACT: The solubility of methyl chloride, ethyl chloride and methylchlorosilane in chlorobenzene was determined in order to provide data for the direct synthesis process for alkylchlorosilanes in which the unreacted alkyl chlorides are collected in chlorobenzene. The liquid-gas phase equilibria of the following systems were in-

Card 1/2

ACCESSION NR: AP4032508

vestigated at atmospheric pressure: nitrogen-methylchloride-chlorobenzene (at 0, 5, 10, 20 and 30C), nitrogen-ethyl chloride-chlorobenzene (at 10, 20 and 30C), nitrogen-methyldichlorosilane-chlorobenzene (at 20, 30C), and nitrogen-dimethyldichlorosilane-chlorobenzene (at 10, 20C). The solubility of methyl chloride and ethyl chloride in chlorobenzene is subject to Raoult's law. The solubility of the investigated chlorosilanes in chlorobenzene is significantly lower than in ideal solvents. The solubility in all the systems investigated decreased with increase in temperature. The heat of solution (kcal/kg) was calculated: methyl chloride 120; ethyl chloride 98.1; methyldichlorosilane 95.6; dimethyldichlorosilane 72. Thus the absorption of all these compounds in chlorobenzene is accompanied by evolution of large amounts of heat. Orig. art. has: 3 tables, 5 equations and 4 figures.

ASSOCIATION: None

SUBMITTED: 08Jun62

ENCL: 00

SUB CODE: OC
Card 2/2

NR REF Sov: 006

OTHER: 001

L'VOV, S.V.; SERAFIMOV, L.A.; YERMAKOVA, A.

Method of investigating phase relations in the process of absorption
of a multicomponent mixture. Khim. prom. no.5:364-367 My '64.
(MTRA 17:9)

L 1703-66 EWT(m)/EPF(c) RM

ACCESSION NR: AP5020957

UR/0204/65/006/004/0583/0588

AUTHOR: Mashkina, A. V.; Yermakova, A.; Savostin, Yu. A.

TITLE: Process for production of sulfolane (hydrogenation of sulfolene)

SOURCE: Neftekhimiya, v. 5, no. 4, 1965, 583-588

TOPIC TAGS: hydrogenation, organic sulfur compound, hydrogen, catalysis, nickel compound, chromium compound

ABSTRACT: Experiments on the hydrogenation of sulfolene to sulfolane were carried out in a flow unit at 35C over a catalyst with a grain size from 1.5 to 2.5 mm, at a hydrogen feed rate of 8 liters/hour, and at different pressures and concentrations of the sulfolene in the sulfolane. It was found that at a pressure of 1 atm and at low concentrations of sulfolene (up to approximately 10 wt %) the reaction rate is described by an equation of the first order. With further increase in the concentration, the reaction rate at 1 atm pressure is described by an equation of zero order. At 6 atm, at all concentrations studied, the reaction rate is first order. The average value of the reaction rate constant is 1.5 kg/kg-hr. At Card 1/2

L 3703-66

ACCESSION NR: AP5020957

sulfolene concentrations in the solution greater than 10 wt % and at pressures less than 6 atm, the reaction rate is determined by the rate of hydrogen feed to the outer surface of the catalyst. At pressures greater than 10 atm, the pressure had no effect on the reaction rate and the latter was a linear function of the amount of catalyst. It was concluded that the following parameters are suitable for an industrial unit: pressure 5-20 atm; temperature 35°C; solvent, sulfolane; concentration of sulfolene in the starting solution 10 wt %; catalyst, nickel chromium; particle size of catalyst 4 x 5 mm. Orig. art. has: 7 formulas and 6 figures

ASSOCIATION: Institut kataliza, Sibirske otdelenie AN SSSR (Catalysis Institute, Siberian Branch AN SSSR)

SUBMITTED: 05Nov64

ENCL: 00

SUB CODE: GC

NR REF SOV: 005

OTHER: 000

Card 2/2

YERMAKOVA, A.; KVASHA, V.B.; SERAFIMOV, L.A.; L'IVOV, S.V.

Investigating the dynamics of the absorption of alkyl chlorides
and alkylchlorosilanes. Khim.prom. 41 no.4:18-22 Ap '65.
(MIRA 16:8)

YERMAKOVA - A - A

USSR/Cultivated Plants - Potatoes, Vegetables, Melons.

M.

Abs Jour : Ref Zhur - Biol., No 10, 1958, 44109

Author : Grubinskiy, S.O., Yermakova, A.A., Rubanyuk, E.I., Bogdanovich, I.S.

Inst : L'vov University.

Title : The Effect of Fertilizers with Microelement Dressing on the Crop of Early Hothouse Vegetables and Their Vitamin C Content.

Orig Pub : Dopovid ta povidomlenya. L'viv's'k. un-t, 1957, vyp. 7, ch. 3, 133-138.

Abstract : No abstract.

Card 1/1

GHEBINSKIY, S.O.; YERMAKOVA, A.A.; POPOVICH, I.V.; KURANYUK, Ye.A.

Effect of fertilizers on the amount of vitamins B₁, B₂, B₆, and
ascorbic acid in leafy vegetables. Nauch. dokl. vys. shkoly; biol.
nauki no.2:130-133 '58. (MIRA 11:10)

1. Predstavlena kafedroy fizioligii rasteniy Lvovskogo gosudarstven-
nogo universiteta imeni Ivana Franko.
(Vegetables) (Vitamins) (Fertilizers and manures)

PIK, I.Sh.; YERMAKOVA, A.I.

Relation of the mechanical characteristics of molding materials to
tablet form. Khim.prom. no.8:484-485 D '55. (MLRA 9:5)

1. Karacharovskiy zavod plastmass.
(Plastics--Testing)

YERMAKOVA, A.I.

Category: USSR/Analytical Chemistry - Analysis of organic substances.

G-3

Abs Jour: Referat Zhur-Khimiya, No 9, 1957, 31092

Author : Tikhomirova G. P., Shkodin A.M., Yermakova, A. I.
Inst : not given
Title : Polarographic Determination of Riboflavin.

Orig Pub: Ukr. khim. zh., 1956, 22, No 5, 687-690

Abstract: A method has been worked out for the polarographic determination of riboflavin (vitamin B₂) in mono- and polyvitamin preparations. 0.25 g of comminuted average sample of monovitamin (or 4 g of the polyvitamin-) preparation are dissolved in 25 ml of background electrolyte (Kohlthoff buffer solution of pH 8.6) and subjected to polarographic determination with galvanometer sensitivity of S = 1/50 and rheochord potential of 1 v. Also polarographed are 9 ml of the solution under study in admixture with 1 ml of standard solution (of pure crystalline vitamin B₂); calculation of the vitamin B₂ content of the sample is effected by the method of addition.

Card : 1/1

-15-

YERMAKOVA, T. I.

SHKODIN, A.M.; TIKHOMIROVA, G.P.; YERMAKOVA, A.I.

Potentiometric method for the determination of sulfuric acid in
malic and fumaric acids. Khleb. i kond. prom. l no.9:16-18 g '57.
(MIRA 10:11)

1. Ukrainskiy nauchno-issledovatel'skiy institut pishchevoy pro-
myshlennosti.

(Sulfuric acid--Analysis) (Malic acid--Analysis)
(Fumaric acid--Analysis)

TIKHOMIROVA, G.P.; YERMAKOVA, A.I.

Polarographic method for the determination of nicotinic acid in
a monovitamin dragee. Vop.pit. 19 no.1:61-63 Ja-F '60.

(MIRA 13:5)

1. Iz laboratorii fizicheskoy khimii (sav. - kand.khim.nauk
A.M. Shkodina) Ukrainskogo nauchno-issledovatel'skogo instituta
pishchevoy promyshlennosti, Khar'kov.
(NICOTINIC ACID chemistry)

YERMAKOVA, I. A.; MIKHEYEV, G. D.

Nutritive value of basic grazing crops of the Turkmen S.S.R.
Izv. AN Turk.SSSR. Ser. biol.nauk no. 6:3-14 '63. (MIRA 17:5)

1. Turkmenskiy nauchno-issledovatel'skiy institut zhivotnovodstva
i veterinarii.

BOROVSKIY, G.F. [deceased]; ZINOV'YEV, G.A. [deceased]; YERMAKOVA, I.A.;
NECHAYEVA, N.T.

Nutritive value of wormwood pastures in northwestern Turkmenistan.
Trudy Inst. bot. AN Turk. SSR 7:40-60 '62. (MIRA 17:3)

YERMAKOVA, A.M.

Effect of the shape of the ballistic pulse of the current on
measurement precision of magnetic properties in ferromagnetic
materials; Trudy VNIIM no.10:71-88 '52. (MIRA 11:6)
(Ferromagnetism--Measurements)

YERMAKOVA, Anna Mikhaylovna; DEMINA, Mariya Leonidovna; BLINDER, Ye.N.,
tekhnicheskij redaktor; SUKHOULOV, S.T., tekhnicheskij redaktor

[Planning labor and wages in cooperative trade artels] Planirovanie
truda i zarabotnoi platy v arteliakh promyslovoi kooperatsii. Mo-
stva, Vses. koop. izd-vo, 1956. 90 p. (MIRA 10:4)
(Wages) (Industrial management)

1. YERMAKOVA, A. [P.]
2. USSR (600)
4. Potatoes
7. High yield of potatoes, Kolkh. proizv. 13, No. 2, 1953.

9. Monthly List of Russian Accessions, Library of Congress, May 1953. Unclassified.

"APPROVED FOR RELEASE: 03/20/2001

CIA-RDP86-00513R001962810008-6

YERMIKOVA, A.P.

Kak my vyraščivaem vysokie urozhai kartofelia (How we obtain high potato yields).
Moskva, Selkhozgiz, 1954. 16 p.

SO: Monthly List of Russian Accessions, Vol 7, No 9, Dec 1954

APPROVED FOR RELEASE: 03/20/2001

CIA-RDP86-00513R001962810008-6"

~~YERMAKOVA, Agaf'ya Petrovna, geroy Sotsialisticheskogo Truda; POLYAKOVA, V., redaktor; YAKOVLEVA, Ye., tekhnicheskiy redaktor~~

[How we attained skill; experience of potato growers on the "Borodino" Collective Farm] Kak my doobili masterstva; opyt zvena kartofelevodov kolkhoza "Borodino." [Moskva] Moskovskii rabochii, 1956. 38 p.
(Potatoes) (MLRA 9:12)

PASHAYEV, A.G.; YERMAKOVA, A.S.

Safety problems in the construction and use of gas compressor stations of oil and gas refineries. Trudy VNIITB no.11:78-85 '59. (MIRA 15:5)

(Compressors--Safety measures)

KABANOV, V.I., inzh.; YERMANOVA, A.S., inzh.; BAYTUGANTI, Ye.G., inzh.;
BERTUL'SON, Ye.A., inzh.

Attachments to pumping jacks. Besop. truda v prom. 4 no. 4:24-25 Ap.
'60. (MIRA 13:9)
(Oil wells—Equipment and supplies)

SHILKO, N.A., dotsent; YERMAKOVA, A.V., ordinatore

Comparative evaluation of injuries in children and mother from
the application of forceps by the Tsvor'ianov method and by the
usual method. Akush.i gin. no.6816-19 '60. (MIRA 14:1)

1. Iz kafedry akushers'tva i ginekologii (av. - dotsent N.A.
Shilko) pediatriceskogo fakul'teta Krymskogo meditsinskogo
instituta.
(LABOR, COMPLICATED) (BIRTH INJURIES)

YERMAKOVA, A.Ya.,; TIMOSHENKO, L.V.

Effect of the vacuum extractor on the mother and infant.
Akush. i gin. no.1:65-70 '65. (MIRA 18:10)

1. Kafedra akushерства i ginekologii (zav.- doktor med. nauk
L.V. Timoshenko) Lechebnogo fakul'teta L'vovskogo meditsinskogo
instituta.

SOV/137-58-9-18736

Translation from: Referativnyy zhurnal, Metallurgiya, 1958, Nr 9, p 84 (USSR)

AUTHORS: Ponomarev, V.D., Yermakova, B.A.

TITLE: Leaching Alumina From Alunite Ore by Sodium Sulfide Solutions (Vyshchelachivaniye glinozemka iz alunitovoy rudy rastvorami sernistogo natriya)

PERIODICAL: Izv. AN KazSSR. Ser. gorn. dela, metallurgii, str-va i stroymaterialov, 1957, Nr 5 (16), pp 69-79

ABSTRACT: In leaching alunite solutions with Na_2S , the extraction of Al_2O_3 in solution rises with the strength of the Na_2S solution. The optimum conditions for the leaching process are the following: 400 g Na_2S /liter; sulfide factor 4.5; process time 1 hr; temperature 100°C; grinding to 140 mesh. Under these conditions, 90% of the Al_2O_3 is extracted in the solution, and its concentration therein is 110 g/liter. The major impurities in alunite rock (Fe and Si) do not go into solution.

1. Ores--Processing 2. Aluminum oxide--Separation

G.S.

Card 1/1

YERMAKOVA, P.B. (Leningrad)

Pathological anatomy of leukemias. Arkh.pat. 21 no.1:44-49 '59.
(MIRA 12:1)

1. Iz kafedry patologicheskoy anatomi (sav. - prof. M.A. Zakhar'-yevskaya) I Leningradskogo meditsinskogo instituta imeni I.P. Pavlova.

(LEUKEMIA pathology.
(Rus))

YERMAKOVA, T.B. (Leningrad)

Pulmonary changes in leukemia. Arkh.pat. 21 no.5:35-41 '59.

(MIRA 12:12)

1. Iz kafedry patologicheskoy anatomi (sav. - prof. M.A. Zakhar'evskaya) I Leningradskogo meditsinskogo instituta im. akad. I.P. Pavlova).

(LEUKEMIA, pathol.

lungs (Eng))

(LUNGS, pathol.

in leukemia (Eng))

YERMAKOVA, F.B., kand.med.nauk

Peculiar course of leucosis. Vrach.delo no.10:101 O '60. (MIRA 13:11)

1. Kafedra patologicheskoy anatomii (Zav. - prof. M.A.Zakhar'yevskaya)
Pervogo Leningradskogo meditsinskogo instituta.
(LEUKEMIA)

YERMAKOVA, F.B. (Leningrad, Lesnoy pr., 65/5, kv.78)

Age-related changes in the hemopoietic organs in mice. Arkh.
amat. i embr. 38 no. 5:56-59 My '60. (MIRA 14:2)

1. Kafedra patologicheskoy anatomi (zav. - prof. N.A. Zakhar'yevskaya)
1-go Leningradskogo meditsinskogo instituta im. akad. I.P.
Pavlova.

(HEMATOPOIETIC SYSTEM) (AGING)

"APPROVED FOR RELEASE: 03/20/2001

CIA-RDP86-00513R001962810008-6

YERMAKOVA, F.B.

Adenomatosis of the lungs. Arkh.pat. 22 no.9:62-66 '60.

(LUNGS--TUMORS)

(MIR 13:12)

APPROVED FOR RELEASE: 03/20/2001

CIA-RDP86-00513R001962810008-6"

YERMAKOVA, F. B. (Leningrad)

Morphogenesis of leukemic cells in the focus of transplantable leukemia in mice. Arkh. pat. no. 6:10-16 '61. (MIRA 14:12)

1. Iz kafedry patologicheskoy anatomii (zav. - prof. M. A. Zakhar'yevskaya) I Leningradskogo meditsinskogo instituta.

(LEUKEMIA)

YERMAKOVA, F. R.

Significance of the lymphoid apparatus of the bronchial tree
in the development of leukemic foci in the lungs in trans-
planted leukemia in mice. Biul. eksp. biol. i med. 55 no.2:
87-91 F'63. (MIRA 16:6)

1. Iz kafedry patologicheskoy anatomii (zav. - prof. M.A.
Zakhar'yevskaya) I Leningradskogo meditsinskogo instituta
imeni I.P. Pavlova. Predstavlena deystvitel'nym chlenom
AMN SSSR N.N. Anichkovym.
(LEUKEMIA) (LUNGS—DISEASES) (LYMPHATICS)

YERMAKOVA, G.A.; SHTERN, M.A.; GORELIK, G.N.

Effect of the physical characteristics of white pigments and
fillers on the properties of paint films. Lekokras. mat. i
ikh. prim. no.4:70-84 '61. (MIRA 16:7)

(United States--Pigments)
(United States--Fillers (In paper, paint, etc.)

7/011/61/018/011/002/004
ELL2/E553

AUTHORS: Rassudova, N.S., Yermakova, G.A., and Istomina, V.N.

TITLE: Recovery of titanium dioxide (rutile) from concentrated solutions of titanium sulphate by the addition of various additives prior to hydrolysis. I.

PERIODICAL: Chemie a chemická technologie; Přehled technické a hospodářské literatury, v 18, no. 11, 1961 - 513 abstract ChbI-7085 (Lakokrasochnye materialy, no. 1 1961, 30-33)

TEXT: Titanium dioxide (rutile) was prepared from concentrated solutions of titanium sulphate in the presence of additives such as zinc chloride, formic acid, titanium tetrachloride etc. Additions ranged from 1 to 3%. The resulting titanium dioxide consisted of 99% rutile.
1 figure, 6 tables, 9 references.

[Abstractor's Note: Complete translation.]

Card 1/1

S/081/61/000/022/071/076
B144/B138

AUTHORS:

Rassudova, N. S., Yermakova, G. A., Istromina, V. N.

TITLE:

Synthesis of titanium dioxide of the rutile modification from concentrated titanium sulfate solutions by injecting certain additions before hydrolysis

PERIODICAL:

Referativnyy zhurnal. Khimiya, no. 22, 1961, 473, abstract 22P194 (Lakokrasochn. materialy i ikh primeneniye, no. 1, 1961, 30-33)

TEXT: Titanium dioxide of the rutile modification was obtained from concentrated titanium sulfate solutions by adding 1-3% zinc oxide, aluminum hydroxide, TiO_2 (rutile) hydrochloric acid or its salt with the oxides enumerated, magnesium chloride, formic and acetic acids, and of a number of other compounds, to the prehydrolysis solution before adding the usual nuclei. This method means that titanium dioxide can be obtained without further cations and with up to 99.0% TiO_2 content. As to weather resistance, moisture content, photochemical activity, and basic coloring properties, the TiO_2 samples obtained in this way are in no way inferior to TiO_2 of the

Card 1/2

Synthesis of titanium dioxide ...

S/081/61/000/022/071/076
B144/B138

rutile modification obtained by calcination of anatase-type metatitanic acid with zinc oxide. 9 references. [Abstracter's note: Complete translation.]

Card 2/2

BELYAVSKIY, V.Ye.; YENGLIKOVA, G.A.

Equipment for fine purification of paint materials and semiprocessed products; brief review of foreign literature. Litinformkhim
prim. no.3:82-89 '63. (MIRA 16:9)
(Filters and filtration) (Paint industry—Equipment and supplies)

YERMAKOVA, G. F.
KURAYTIS, S. A., KUCHAEV, I. A., YERMAKOVA, G. F.

Hides and Skins

Practical method of processing badger hides, Leg. prom. 12 №. 4, 1952

9. Monthly List of Russian Accessions, Library of Congress, July ² 1953. Unclassified.

YERMAKOVA, G.G.

Materials for the study of the hydatidiform mole. Akush.i gin.
no.5:81-86 '61. (MIRA 15:1)

1. Iz Nauchno-issledovatel'skogo instituta akusharstva i ginekologii (dir. - prof. O.V. Makeyeva).
(MOLE (DERMATOLOGY))

YERMAKOVA, G. P. and KOBETSOV, V. V. (Perm State University A. M. Gorkiy)

"Investigation of hydrogenation of metals during electrolysis by method of measurement of electric resistance".

Report presented at the Intervuz Conference on Electrodeposition of Nonferrous Metals, Ural Polytechnical Institute im. S. M. Kirov, Sverdlovsk, held from 27-30 May 1963

(Reported in Tsvetnyye Metally, No. 10, 1963, pp. 82-84)
JPRS 24,651 19 May 1964

YERMAKOVA, I.A.

YERMAKOVA, I.A. "The Biology and Ecology of Honey Plants of the Kungur Ural Piedmont." Min Higher Education USSR. Nolotov State U imeni A.M. Gor'kiy. Moscow, 1956. (Dissertation for the Degree of Candidate in Biological Science)

So: Knizhnaya Letopis', No. 18, 1956,

USSR / Cultivated Plants. Commercial. Oil-Bearing. M-5
Sugar-Bearing.

Abs Jour: Ref Zhur-Biol., No 6, 1958, 25194

Author : Yermakova, I. A.
Inst : Not given
Title : Echium vulgare L.

Orig Pub: Pchelovodstvo, 1957, No 7, 46-47

Abstract: In Kungurskoye Predural'ye, where one ordinarily sees growing naturally during the time from June to August the *Echium vulgare* L. as a biennial, this plant appears as a highly productive source of nectar. Its nectar productivity in 1954 amounted to 500 kg. per 1 ha. of planting. It occupied about 10 ha. of buckwheat. The *Echium vulgare* L. may be a prospective crop for nectar-bearing on the flinty low-yielding carbonate soils

Card 1/2

134

USSR / Cultivated Plants: Commercial. Oil-Bearing. M-5
Suga -Bearing.

Abs Jour: Ref Zhur-Biol., No 6, 1958, 25194

Abstract: of the slopes and high ridges in the rayons of
South-East and Southern Predural'ye. -- A. M.
Smirnov

Card 2/2

YERMAKOVA, I. A.

"The Nutritional Value of Pasture Fodders of the Chernozem Soils
in Wintertime and Their Utilization." Cand Agr Sci, All-Union Sci
Res Inst of Fodders, Moscow, 1953. (RZhBiol, No 3, Oct 54)

Survey of Scientific and Technical Dissertations Defended at USSR
Higher Educational Institutions (10)

So: Sum. No. 481, 5 May 55

YERMAKOVA, I. A.

USSR / Farm Animals. Small Horned Stock

Q

Abs Jour: Ref Zhur-Biol., No 5, 1958, 21464

Author: Yermakova I. A.

Inst :

Title : Availability of Carotene to Sheep under Pasture Maintenance Conditions in the Kara-Kum Desert (Obespechenmost' ovets karotinom pri pastbishchnom soderzhanii v Kara-Kumakh)

Orig Pub: Izv. AN Turkm SSR, 1957, No 2, 119-122

Abstract: The sheep pasturing in the Kara-Kum Desert are not uniformly supplied with carotene throughout the year. In April, they get 222-223 mg.; in May, 144-160 mg.; in July, when seudek [?] and Chrosophora sabulosa develop, they obtain ~202 mg.; when these annuals are deficient - 5 mg.; finally, in the fall, they get but 2 to 5 mg. of carotene. Deficiency in carotene intake

Card 1/2